

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*242	<i>University of New Hampshire Aquaculture North Lighted Buoy</i>		FI Y 4s			Yellow.	Light is visible only when pens are raised. Private aid.
							29/99
*242.1	<i>University of New Hampshire Aquaculture North Lighted Buoy A</i>		FI Y 4s			Yellow.	Private aid.
							29/99
*242.2	<i>University of New Hampshire Aquaculture North Lighted Buoy B</i>		FI Y 4s			Yellow.	Private aid.
							29/99
*242.3	<i>University of New Hampshire Aquaculture North Lighted Buoy C</i>		FI Y 4s			Yellow.	Private aid.
							29/99
*242.4	<i>University of New Hampshire Aquaculture North Lighted Buoy D</i>		FI Y 4s			Yellow.	Private aid.
							29/99
*243	<i>University of New Hampshire Aquaculture South Lighted Buoy</i>		FI Y 6s			Yellow.	Light is visible only when pens are raised. Private aid.
							29/99
*243.1	<i>University of New Hampshire Aquaculture South Lighted Buoy E</i>		FI Y 6s			Yellow.	Private aid.
							29/99
*243.2	<i>University of New Hampshire Aquaculture South Lighted Buoy F</i>		FI Y 6s			Yellow.	Private aid.
							29/99
*243.3	<i>University of New Hampshire Aquaculture South Lighted Buoy G</i>		FI Y 6s			Yellow.	Private aid.
							29/99
*243.4	<i>University of New Hampshire Aquaculture South Lighted Buoy H</i>		FI Y 6s			Yellow.	Private aid.
							29/99
9930	- North Channel Buoy 2N						<i>Remove from list.</i>
							*
							29/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22505	- Lighted Buoy 2	41 15 48 N 72 20 30 W	FI R 2.5s		4	Red.	Replaced by nun from Nov. 15 to May 1.
	*		*		*	*	* 29/99
25475	Mianus River Buoy 2MR						Remove from list. * 29/99
29042	- BREAKWATER LIGHT 2		FI R 2.5s	36	4	TR on skeleton tower.	* 29/99
	*		*		*	*	* 29/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Add Heading: *Marshelder Channel						
*1135	- Junction Buoy	39 30 36 N 74 18 06 W				Red and green bands; nun.	* 29/99
	*Delete Heading: *Marshelder Channel						
1140	- Buoy 1	39 31 30 N 74 17 36 W				Green can.	Private aid. * 29/99
2165	- Channel Buoy 24					Red nun.	* 29/99
18233	- Daybeacon 3					SG on pile.	* 29/99
18234	- Daybeacon 4					TR on pile.	* 29/99
19680	- LIGHT 5						Remove from list. * 29/99
25970	- Daybeacon 5					SG on pile.	* 29/99
26115	- Daybeacon 3					SG on pile.	* 29/99
26150	- Swash Daybeacon 2					TR on pile.	* 29/99
26285	- Daybeacon 3					SG on pile.	* 29/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*28663	- Lighted Buoy 6A		Q R			Red.	Ra ref. 29/99
29045	- LIGHT 8		FI R 6s	18	2	TR on pile.	* 29/99
29055	- LIGHT 9	35 08 24 N 76 00 24 W	FI G 4s	20	2	SG on pile.	* 29/99
30493 39968	FEDERAL POINT RANGE FRONT LIGHT		FI W 2.5s 1s fl 1.5s ec.	22		On multi-pile.	Visible all around with higher intensity on rangeline. Lighted throughout 24 hours. * 29/99
32020	- CHANNEL LIGHT 7		FI G 2.5s	15	2	SG on pile.	Light equipment removed when endangered by ice. * 29/99
32270	- Buoy 4					Red nun.	* * 29/99
Pamlico Sound							
32290	FRISCO APPROACH LIGHT 2F	35 15 18 N 75 41 00 W	FI R 2.5s	7	2	TR on piles.	Light equipment removed when endangered by ice. * 29/99
32370	ROYAL SHOAL LIGHT 3		FI G 2.5s	15	2	SG on dolphin.	Ra ref. * 29/99
32375	ROYAL SHOAL LIGHT 5RS	35 09 12 N 76 09 36 W	Q G	40	3	SG on skeleton tower on multi- pile structure.	Ra ref. * 29/99
39968 30493	FEDERAL POINT RANGE FRONT LIGHT		FI W 2.5s 1s fl 1.5s ec.	22	4	On multi-pile.	Visible all around with higher intensity on rangeline. Lighted throughout 24 hours. * 29/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Carrabelle River							
2450	- Daybeacon 1					SG-SY on pile.	Ra ref. * 29/99
14390	- Buoy A					Green can with red bands.	* 29/99
14395	- Buoy B					Green can with red bands.	

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
						*	29/99
14400	- Buoy C					Green can with red bands.	
						*	29/99
UPPER GALVESTON BAY (Chart 11327)							
Houston Ship Channel							
22930	- LIGHT 36 120 feet outside channel limit.	29 25 06 N 94 49 30 W	FI R 6s	17	4	TR on pile.	Ra ref.
						*	29/99
22980	- LIGHT 43	29 27 24 N 94 50 54 W	FI G 4s	17	4	SG on pile.	Ra ref.
						*	29/99
23125	- LIGHT 60		FI (2) R 6s	17	4	TR on pile.	Ra ref.
						*	29/99
23205	- LIGHT 75		Q G	17	4	SG on pile.	Ra ref.
						*	29/99
23210	- LIGHT 76		Q R	24	4	TR on pile.	Ra ref.
						*	29/99
24040	BAYTOWN BEND LIGHT 113	29 43 30 N 95 01 24 W	FI G 4s	27	4	SG on pile.	
						*	29/99
24205	- LIGHT 122		FI R 4s	17	4	TR on pile.	Ra ref.
						*	29/99
24260	- LIGHT 125		FI G 4s	17	4	SG on pile.	Ra ref.
						*	29/99
24270	- LIGHT 126		FI R 2.5s	17	4	TR on pile.	
						*	29/99
31375	- Light 130	30 22 36 N 87 02 06 W	FI R 4s	17	4	TR-TY on pile.	Ra ref.
	*		*	*	*		29/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8140	- APPROACH RANGE FRONT LIGHT	40 45 54 N 124 14 48 W	Oc W 4s	35	12	KRW on tower.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Operates continuously.
						*	29/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9600	- Entrance Lighted Gong Buoy 3	44 36 24 N 124 05 30 W	FI G 4s		4	Green.	Maintained from May 1 to Oct. 1. * 29/99
9657	Boat Basin Warning Marker	44 37 48 N 124 03 06 W		10		NW on pile worded DANGER SUBMERGED JETTY.	Private aid. * 29/99
25660	Bligh Reef Lighted Bell Buoy 6						Remove from list. * 29/99
25662	BLIGH REEF LIGHT	60 50 18 N 146 53 00 W	FI W 4s	59	9	NR on pile structure.	RACON: B (-•••). * 29/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4250	ROCKY RIVER BREAKWATER LIGHT	41 29 24 N 81 50 11 W	FI G 4s	28 9	6	NY on white post.	 * 29/99
4255	BRADSTREET LANDING DOCK LIGHT	41 29 06 N 81 52 00 W	FI G 6s	36 11		On post.	Maintained from Apr. 15 to Nov. 15. Private aid. * 29/99
SOUTH SHORE OF LAKE ERIE (Chart 14842)							
West End Sandusky Bay							
Sandusky Bay Channel							
5020	Willow Point Buoy A	41 26 42 N 82 53 12 W				White with orange bands.	Maintained from May 15 to Oct. 15. Private aid. * 29/99
5025	Willow Point Buoy B	41 26 42 N 82 53 24 W				White with orange bands.	Maintained from May 15 to Oct. 15. Private aid. * 29/99
5030	Willow Point Buoy C	41 26 30 N 82 53 30 W				White with orange bands.	Maintained from May 15 to Oct. 15. Private aid. * 29/99
8420	- Lighted Buoy 2		FI R 4s		4	Red.	Replaced by nun from Dec. 14 to Apr. 7. * 29/99
19585	- NORTH LIGHT 2		Iso R 6s	36 11	9	TR on pile.	

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
					*		29/99
20729	South Shore Park Entrance Lighted Buoy 1	42 59 36 N 87 52 30 W	FI G 4s			Green.	Maintained from May 1 to Oct. 15. Private aid.
			*				29/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.