

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
35 5590	Seguin Light	43 42 30 N 69 45 30 W	F W	180	18	White cylindrical tower connected to dwelling. 53	Emergency Light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° and 160°. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si).
							* 43/99
2925	<i>Eggemoggin Lighted Bell Buoy EG</i>	44 19 12 N 68 44 36 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	Replaced by can when endangered by ice.
						*	43/99
5590 35	Seguin Light	43 42 30 N 69 45 30 W	F W	180	18	White cylindrical tower connected to dwelling. 53	Emergency light of reduced intensity when main light is extinguished. Two emergency lights may be visible from 340° and 160°. HORN: 2 blasts ev 20s (2s bl- 14s si-2s bl-2s si).
							* 43/99
6060	- Buoy 11	43 46 30 N 69 47 18 W				Green can.	
		*					43/99
6195	- Buoy 5 Off southeasterly side of rocks.	43 56 24 N 69 48 24 W				Green can.	
		*					43/99
6625	Elm Island Buoy 4 At south end of reef.	43 45 36 N 69 48 24 W				Red nun.	
		*					43/99
6660	- Buoy 1	43 42 48 N 69 59 18 W				Green can.	
		*					43/99
Potts Harbor							
6755	Pinkham Island Point Buoy 2	43 43 42 N 70 01 12 W				Red nun.	
		*					43/99
9055	- <i>Lighted Buoy 15</i>	42 48 48 N 70 51 06 W	FIG 4s		4	Green.	Replaced by can from Nov. 1 to May 1.
		*					43/99
Childrens Island Channel							
10385	- Buoy 2	42 30 30 N 70 45 36 W				Red nun.	
		*					43/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10390	- Buoy 4	42 30 30 N 70 46 48 W				Red nun.	
		*					43/99
	Marblehead Harbor						
10440	- Buoy 1MH	42 30 30 N 70 50 00 W				Green can.	
		*					43/99
10445	- Buoy 2MH	42 30 42 N 70 50 12 W				Red nun.	
		*					43/99
	Nahant Harbor						
10540	<i>Shag Rocks Lighted Buoy 2</i> Marks south side of shoal.	42 24 42 N 70 54 24 W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
		*					43/99
	BOSTON INNER HARBOR (Chart 13272)						
	Boston Main Channel						
10865	- <i>Lighted Buoy 1</i>	42 19 54 N 70 58 42 W	FI G 4s		5	Green.	
		*					43/99
10925	- <i>Lighted Buoy 13</i>	42 21 12 N 71 02 06 W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
		*					43/99
11385	- <i>Channel Lighted Buoy TN</i>	42 19 00 N 70 54 48 W	FI (2+1) R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
		*					43/99
11655	- <i>Channel Lighted Buoy 4</i>	42 17 54 N 70 55 24 W	Q R		3	Red.	Replaced by nun when endangered by ice.
		*					43/99
11900	- <i>Channel Lighted Buoy 4</i>	42 15 54 N 70 55 24 W	FI R 4s		3	Red.	Replaced by LIB from Dec. 1 to Apr. 15.
		*					43/99
	MASSACHUSETTS BAY (Chart 13267)						
	New Inlet						
	<i>Due to frequently changing conditions positions of buoys are not listed.</i>						
12325	- Bell Buoy NI	42 10 18 N 70 42 06 W				Red and white stripes.	
		*					43/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
NANTUCKET SOUND AND APPROACHES (Chart 13237)							
Pollock Rip Channel							
13530	- Buoy 2A	41 35 24 N 69 54 54 W				Red nun.	
		*					43/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Heading: *Gills Cove							
10251	- Daybeacon 2						<i>Remove from list.</i> * 43/99
10252	- Daybeacon 4						<i>Remove from list.</i> * 43/99
10253	- Daybeacon 6						<i>Remove from list.</i> * 43/99
*10331.01	- Daybeacon 33					SG on pile.	Private aid. 43/99
*10331.02	- Daybeacon 34	36 51 54 N 76 06 54 W				TR on pile.	Private aid. 43/99
*Add Heading: *Lynnhaven River Saw Pen Point							
*10331.03	- Daybeacon WS2	36 51 48 N 76 07 00 W				TR on pile.	Private aid. 43/99
*10331.04	- Daybeacon 3					SG on pile.	Private aid. 43/99
*10331.05	- Daybeacon 4					TR on pile.	Private aid. 43/99
*10331.06	- Daybeacon 5					SG on pile.	Private aid. 43/99
*10331.07	- Daybeacon 7					SG on pile.	Private aid. 43/99
*10331.08	Lynnhaven River Old Donation Spur Channel Daybeacon 1S	36 51 48 N 76 07 12 W				SG on pile.	Private aid. 43/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10331.09	Lynnhaven River Old Donation Spur Channel Daybeacon 2					TR on pile.	Private aid. 43/99
*Add Heading: *Lynnhaven River Western Branch							
*10331.1	- Daybeacon 36	36 51 42 N 76 06 54 W				TR on pile.	Private aid. 43/99
*10331.11	- Daybeacon 38					TR on pile.	Private aid. 43/99
*10331.12	- Daybeacon 40					TR on pile.	Private aid. 43/99
*10331.13	- Daybeacon 41					SG on pile.	Private aid. 43/99
*10331.14	- Daybeacon 43					SG on pile.	Private aid. 43/99
*10331.15	- Daybeacon 45					SG on pile.	Private aid. 43/99
*10331.16	- Daybeacon 46					TR on pile.	Private aid. 43/99
*10331.17	- Daybeacon 47					SG on pile.	Private aid. 43/99
*10331.18	- Daybeacon 49					SG on pile.	Private aid. 43/99
*10331.19	- Daybeacon 51					SG on pile.	Private aid. 43/99
*10331.2	- Daybeacon 52					TR on pile.	Private aid. 43/99
*10331.21	- Daybeacon 53					SG on pile.	Private aid. 43/99
*10331.22	- Daybeacon 54					TR on pile.	Private aid. 43/99
*10331.23	- Daybeacon 56					TR on pile.	Private aid. 43/99
*10331.24	- Daybeacon 57					SG on pile.	Private aid. 43/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*10331.25	- Daybeacon 58	36 50 48 N 76 07 24 W				TR on pile.	Private aid. 43/99
*10333.11	Gills Cove Daybeacon 2	36 52 12 N 76 04 30 W				TR on pile.	Private aid. 43/99
*10333.12	Gills Cove Daybeacon 4					TR on pile.	Private aid. 43/99
*10333.13	Gills Cove Daybeacon 6					TR on pile.	Private aid. 43/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6290	- LIGHT 17	30 31 24 N 88 05 36 W	FI G 2.5s	17	3	SG on pile.	 43/99
		*					
18460 33570	BERWICK BAY BRIDGE APPROACH DANGER RANGE FRONT LIGHT	29 41 48 N 91 12 54 W	Q Y	64		KGR-I on west side bridge abutment.	Visible downbound only. Range marks the western boundary of the suggested downbound course for approaching the bridges. NOTE: Range is not to be steered on. 43/99
		*					
	*Add Heading: *GALVESTON BAY ENTRANCE (Chart 11324)						
22560 1155	Galveston DGPS Beacon	29 19 42 N 94 44 12 W	Encoded DGPS		180		FREQ: 296 kHz. 43/99
			message				
	*Change Heading to Read: *Galveston Bay						
22600 1167.8	- Traffic Lane Lighted Buoy K	29 16 48 N 94 35 36 W	FI Y 6s		6	Yellow.	 43/99
	*Delete Headings: *GALVESTON BAY ENTRANCE (Chart 11324) *Galveston Bay						
22605	- ENTRANCE CHANNEL RANGE A FRONT LIGHT	29 21 18 N 94 42 54 W	Q W	20		KRW on skeleton tower.	For upbound traffic. Lighted throughout 24 hours. 43/99
25440	- Junction Daybeacon B	29 33 12 N 95 04 12 W				JR on pile.	 43/99
		*					

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*25442	- Buoy 1					Green can.	43/99
25450	- Daybeacon 5					SG on pile.	43/99
	*						43/99
25750	FREEPORT HARBOR LIGHT 25						<i>Remove from list.</i> * 43/99
33570 18460	BERWICK BAY BRIDGE APPROACH DANGER RANGE FRONT LIGHT	29 41 48 N 91 12 54 W	Q Y	64		KGR-I on west side bridge abutment.	Visible downbound only. Range marks the western most boundary of the suggested downbound course for approaching the bridges. NOTE: Range is not to be steered on. * 43/99
		*					43/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
625 9220	<i>Umpqua River Approach Lighted Whistle Buoy U</i>	43 39 54 N 124 14 24 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* 43/99
		*				*	43/99
UMPQUA RIVER (Chart 18584)							
Umpqua River							
9220 625	- Approach Lighted Whistle Buoy U	43 39 54 N 124 14 24 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	* 43/99
		*				*	43/99
11307	AIRPORT BAR RANGE FRONT LIGHT	45 36 01 N 122 33 38 W	Q R	34		KRW on skeleton tower.	Visible all around; higher intensity on rangeline. * 43/99
			*				* 43/99
11308	AIRPORT BAR RANGE REAR LIGHT 93 yards, 090.1° from front light.		Iso G 6s	48		KRW on skeleton tower.	Visible 4° each side of rangeline. * 43/99
			*				* 43/99
11575	REED ISLAND RANGE REAR LIGHT 367 yards, 281° from front light.		Iso R 6s	35		KRB on skeleton tower on multi- pile structure.	Visible 4° each side of rangeline. * 43/99
						*	43/99
13295	- LIGHT 10		FI R 4s	30	3	TR on skeleton tower.	* 43/99
	*		*	*	*		43/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15065	STARKWEATHER LANDING LIGHT 17	45 23 36 N 122 37 30 W	FI G 6s	21	5	SG on white house.	Higher intensity beam down channel.
				*			43/99
*Add Heading: *Kawaihae Light Draft Harbor							
*28271	- Channel Lighted Buoy 2	20 01 18 N 155 49 54 W	Q R			Red.	43/99
*28271.1	- Channel Buoy 3	20 01 30 N 155 49 36 W				Green can.	43/99
*28271.2	- BREAKWATER LIGHT 5	20 01 36 N 155 49 36 W	FI G 6s	15	4	SG on post.	43/99
*28271.3	- Channel Buoy 6	20 01 36 N 155 49 42 W				Red nun.	43/99
*28271.4	- Breakwater Daybeacon 8	20 01 42 N 155 49 36 W		15		TR on post.	43/99
*Change Headings to Read: *Kawaihae Bay *Kawaihae Harbor							
28275	- Entrance Lighted Buoy 1		FI G 2.5s		4	Green.	43/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3770	- Junction Lighted Buoy A		FI (2+1) G 6s		4	Green with red bands.	Maintained from May 7 to Dec. 7.
				*			43/99
20480	- Reef Light Marks east side of reef.	42 43 36 N 87 44 12 W	FI W 6s	50 15	12	On skeleton tower. 50	HORN: 1 blast ev 15s (2s bl). Operates continuously from Apr. to Nov.
							* 43/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.