

**SECTION II**

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1060	Baileys Mistake Entrance Buoy 1					Green can.	
	*					*	6/00
10820	- Anchorage Lighted Buoy B	42 20 42 N 70 57 48 W	FI Y 4s		4	Yellow.	
	*	*	*		*	*	6/00
<b>President Roads</b>							
10852	- Anchorage Buoy C					Yellow can.	
	*		*		*	*	6/00
*15807	- Buoy 4A					Red nun.	
							6/00
<b>Hadley Harbor</b>							
15840	Hadley Rock Buoy North of rock.					White can with orange bands worded ROCK.	
						*	6/00
15870	- Rock Buoy Off east side of rock.					White can with orange bands worded ROCK.	
						*	6/00
*21070	BARTLETT REEF LIGHT On south end of reef.	41 16 30 N 72 08 12 W	FI W 6s	35	12	NR on skeleton tower.	
							6/00

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9865	- Daybeacon 1A					SG on pile.	
	*					*	6/00
<b>Mobjack Bay</b>							
14155	Pepper Creek Daybeacon 3	37 20 06 N 76 19 36 W				SG on pile.	
		*					6/00
14160	Pepper Creek Daybeacon 5					SG on pile.	
	*					*	6/00

**CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999**

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22835	- Lighted Buoy 7F		Q G		3	Green.	
	*						6/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23745	- Lighted Buoy 14J		Q R		3	Red.	
	*						6/00
30925.5	- Lighted Buoy 4						Remove from list. * 6/00
37347	- Daybeacon 22						Remove from list. * 6/00
*45915.5	- LIGHT 240		F I R 6s	16	3	TR-TY on pile.	6/00
<b>PALM SHORES TO WEST PALM BEACH (Chart 11472)</b>							
<b>St. Lucie Inlet - Jupiter Inlet</b>							
<b>Great Pocket</b>							
45920	- Shoal Daybeacon	27 09 54 N 80 10 48 W				NW on pile worded DANGER SHOAL.	
	*					*	6/00
45925	- Daybeacon 2	27 09 30 N 80 10 30 W				TR-TY on pile.	
	*	*				*	6/00

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3330	Buena Vista Point Daybeacon	30 09 42 N 85 41 36 W				NW on pile worded DANGER.	Ra ref.  * 6/00
3415	- LIGHT 1	30 10 24 N 85 44 48 W	F I G 4s	17	3	SG on pile.	Ra ref.  * 6/00
12675	- Lighted Buoy 3	28 54 18 N 89 26 00 W	F I G 2.5s		4	Green.	* 6/00
13630 33185	<b>Governor Nicholls Harbor Traffic Control Light 94</b> LDB mile 94.3.	29 57 36 N 90 03 24 W	F I G 5s or F I R 5s		16	On skeleton tower.	Operated by Coast Guard Marine Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.  * 6/00
21027	AMERICAN INTERNATIONAL REFINERY DOCK LIGHT						Remove from list.  * 6/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21028	AMERICAN INTERNATIONAL REFINERY DOCK LIGHT						<i>Remove from list.</i>
							* 6/00
<b>SANTA ROSA SOUND TO DAUPHIN ISLAND (Chart 11378)</b>							
<b>Santa Rosa Sound</b>							
31380	- LIGHT 131		<b>FI G 6s</b>	17	4	SG-I on dolphin.	Ra ref.
							* 6/00
31875	- Daybeacon 40	30 18 48 N 87 26 54 W				TR-I on pile.	
		*					6/00
31900	- Daybeacon 46	30 18 30 N 87 27 42 W				TR-TY on pile.	Ra ref.
		*					6/00
33185 13630	<b>Governor Nicholls Harbor Traffic Control Light 94</b> LDB mile 94.3.	29 57 36 N 90 03 24 W	<b>FI G 5s or FI R 5s</b>		16	On skeleton tower.	Operated By Coast Guard Marine Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
	*	*	*		*		6/00
34263	- LIGHT 19A	29 22 12 N 94 47 06 W	<b>FI G 4s</b>	17	3	SG-SY on pile.	Ra ref.
							* 6/00
35075	- LIGHT 15	29 10 30 N 95 04 48 W	<b>FI G 2.5s</b>	17	3	SG-SY on pile.	
		*					6/00
39535	- Buoy 93	26 40 00 N 97 26 06 W				Green can with yellow square.	
		*					6/00
39645	- Buoy 125	26 35 48 N 97 24 36 W				Green can with yellow square.	
		*					6/00

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*6136	- MARINA LIGHT 5	38 06 36 N 122 16 18 W	<b>FI G 4s</b>	7		SG on pile.	Private aid.
							6/00
*6137	- MARINA LIGHT 6	38 06 36 N 122 16 18 W	<b>FI R 4s</b>	7		TR on pile.	Private aid.
							6/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceeding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10295	<i>Jim Crow Lighted Buoy 19</i>	46 15 30 N 123 33 36 W	<b>FI G</b> 2.5s		4	Green.	
	*						6/00
10300	<i>Jim Crow Lighted Buoy 21</i>	46 15 30 N 124 33 00 W	<b>Q G</b>		3	Green.	
		*					6/00
<b>*Delete Heading and Note:</b>							
<b>*Government Island South Channel</b>							
<i>*Daybeacons located 40 feet outside channel limits.</i>							
11360	- Regulatory Mark						<i>Remove from list.</i>
							* 6/00
11370	- Regulatory Mark						<i>Remove from list.</i>
							* 6/00
<b>Swinomish Channel North Entrance</b>							
19075	- LIGHT 2	48 30 36 N 122 33 24 W	<b>FI R</b> 4s	18	5	TR on dolphin.	Ra ref.
							* 6/00

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII GREAT LAKES, 1999

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1600	- <i>Lighted Buoy PV5 (C)</i>						<i>Remove from list.</i>
							* 6/00

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.