

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
370	<i>Massachusetts Bay Disposal Area Lighted Buoy MBDA</i>	42 25 18 N 70 34 54 W	FI Y 4s			Yellow.	Maintained by the U.S. Army Corps of Engineers.
		*					24/01
*883	- Buoy 6A					Red nun.	
							18/01
1136	STONE ISLAND AQUACULTURE LIGHT SE						<i>Remove from list.</i>
							* 18/01
1137	STONE ISLAND AQUACULTURE LIGHT NE						<i>Remove from list.</i>
							* 18/01
1138	STONE ISLAND AQUACULTURE LIGHT NW						<i>Remove from list.</i>
							* 18/01
1139	STONE ISLAND AQUACULTURE LIGHT SW						<i>Remove from list.</i>
							* 18/01
2270	Flynn's Ledge Buoy 5	44 14 28 N 68 17 00 W				Green can.	
		*					18/01
3210	Matinicus South Breaker Buoy DMSB	43 47 25 N 68 53 24 W				Black and red with two black spherical topmarks.	
	*	*				*	23/01
3225	Bantam Ledge Buoy DBL South of ledge.					Red and green bands; nun.	
	*						23/01
4130	- Breakwater Light	44 06 15 N 69 04 39 W	FI W 5s	39	17	White square tower on corner of fog-signal house, on granite pier.	HORN: 1 blast ev 15s (2s bl).
		*					* 20/01
	*Delete Headings: *PENOBSCOT RIVER (Chart 13309) *West Penobscot Bay						
4430	<i>Spruce Head Lighted Bell Buoy 9</i>						<i>Remove from list.</i>
							* 18/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Headings: *PENOBSCOT RIVER (Chart 13309) *West Penobscot Bay							
4435	<i>Islesboro Island Lighted Bell Buoy II</i>		Mo (A) W		6	Red and white stripes with red spherical topmark.	Replaced by nun when endangered by ice. 18/01
*Delete Heading: *Belfast Harbor							
4440	STEETS LEDGE MONUMENT LIGHT 4						<i>Remove from list.</i> * 17/01
*Add Heading: *Belfast Harbor							
4445	<i>Steels Ledge Lighted Bell Buoy 2</i>		FI R 4s		4	Red.	Replaced by nun when endangered by ice. 17/01
	*		*		*		
4480	Long Cove Ledge Isolated Danger Buoy DLC					Black over red with two black spherical topmarks.	19/01
	*						
4535	Northern Triangles Buoy 2					Red nun.	23/01
	*					*	
*4916	- Buoy 21A					Green can.	Maintained from May 15 to Oct. 15. 23/01
Muscongus Bay Approach							
4960	Moser Ledge Isolated Danger Buoy DM South of ledge.	43 48 40 N 69 25 44 W				Black and red with two black spherical topmarks.	19/01
	*	*				*	
6970	- Buoy 7						<i>Remove from list.</i> * 26/01
6975	- Buoy 8						<i>Remove from list.</i> * 26/01
6980	- Buoy 9						<i>Remove from list.</i> * 26/01
6985	- Buoy 10						<i>Remove from list.</i> * 26/01
8050	Cow Island Ledge Daybeacon 17	43 29 20 N 70 26 03 W				SG on spindle.	26/01
		*					

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15355	- Buoy 1	41 17 31 N 70 26 58 W				Green can.	
		*					26/01
*15503	Douglas Rock Danger Buoy RK					White can with orange bands.	
							24/01
15995	<i>Buzzards Bay Oceanographic Lighted Buoy</i>						<i>Remove from list.</i>
							* 23/01
20130	Intrepid Rock Isolated Danger Buoy DIR On southeast side of rock.					Black and red bands with two black spherical topmarks; can.	
	*					*	24/01
*21314	<i>Suffolk County Monitoring Lighted Buoy</i>		FI Y 4s			Yellow.	Maintained from Apr.1 to Oct. 31. Private aid.
							17/01
21375 25210	STAMFORD HARBOR WEST BREAKWATER LIGHT 3	41 00 54 N 73 32 18 W	Iso G 6s	47	5	SG on tower.	
							* 21/01
NEW LONDON HARBOR AND VICINITY (Chart 13213)							
New London Harbor							
21790	- Channel Lighted Buoy 2	41 17 37 N 72 04 39 W	FI R 2.5s			4 Red.	
		*					21/01
21805	- Channel Buoy 4	41 18 29 N 72 04 45 W				Red nun.	
		*					21/01
21810	Black Ledge Buoy 2BL					Red nun.	
	*						24/01
21815	Black Ledge Buoy 4BL					Red nun.	
	*						21/01
21820	Black Ledge Buoy 6BL					Red nun.	
	*						21/01
21875	- Channel Lighted Buoy 7	41 20 19 N 72 05 07 W	FI G 6s			4 Green.	
		*					21/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
21885	Melton Rocks Buoy On north side of Melton Ledge. *					White can with orange bands and diamond worded ROCKS. *	24/01
21950	- Buoy 15 *Delete Heading: *Greens Harbor						Remove from list. * 21/01
21965	- Buoy 2 On southeast side of shoal. Greens Harbor						Remove from list. * 24/01
21970	- Buoy On southwest side of shoal. *					White can with orange bands and diamond worded ROCKS. *	24/01
22000	- Lighted Buoy 3 *	41 22 51 N 72 05 26 W	FI G 4s		4	Green.	Replaced by can when endangered by ice. 23/01
23945	Quarry Range Rear Daybeacon					KRW on skeleton tower. *	Private aid. 19/01
25210 21375	- WEST BREAKWATER LIGHT 3	41 00 54 N 73 32 18 W	Iso G 6	47	5	SG on tower.	 * 21/01
	*Delete Heading: *Shelter Island Sound South Channel						
28230	- Buoy 2 On east point of bar.						Remove from list. * 19/01
	*Add Heading: *Shelter Island Sound South Channel						
28235	- Buoy 1					Green can.	19/01
*28242	Nicoll Point Rock Buoy					White can with orange bands.	19/01
29260	- Lighted Buoy 10 *	40 39 03 N 73 10 57 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 15 to Apr. 1. 19/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
30495	- Buoy 3						<i>Remove from list.</i>
							* 19/01
30505	- Buoy 6						<i>Remove from list.</i>
							* 19/01
30525	- Lighted Buoy 6						<i>Remove from list.</i>
							* 19/01
30530	- Buoy 8						<i>Remove from list.</i>
							* 19/01
36760	- Channel Lighted Buoy 15		FI G 2.5s		4	Green.	
	*		*		*	*	19/01
36780	- Channel Lighted Buoy 20		FI R 2.5s		4	Red.	
	*		*		*	*	19/01
36825	- Channel Lighted Buoy 36		Q R		4	Red.	
	*		*		*	*	18/01
36845	- Channel Lighted Buoy 43	40 37 24 N 74 12 16 W	FI G 4s		4	Green.	
		*					19/01
*37261	- Channel Lighted Buoy 1		FI G 4s		4	Green.	
							20/01
37265	- Channel Junction Lighted Whistle Buoy KV	40 38 57 N 74 03 52 W	FI (2+1) R 6s		4	Red and green bands.	RACON: K (- • -)
		*					20/01
37273	- Channel Lighted Buoy 6A						<i>Remove from list.</i>
							* 24/01
38403	WANTON ISLAND DIRECTIONAL LIGHT	42 07 42 N 73 55 01 W	Oc W 4s (R & G sectors)	20		On skeleton tower.	Shows red from 015.25° to 016.75°; white from 016.75° to 017.25°; green from 017.25° to 018.75°.
							* 21/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
FIRE ISLAND TO SEA GIRT (Chart 12326)							
7 871	<i>Shark River Lighted Whistle Buoy SI</i>	40 11 09 N 74 00 03 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
		*			*		27/01
25 875	<i>Barnegat Inlet Outer Lighted Whistle Buoy BI</i>	39 44 28 N 74 03 51 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
		*					27/01
75 1410	<i>Townsend Inlet Shoals Lighted Bell Buoy 4A</i>	39 07 05 N 74 40 38 W	FI R 4s		4	Red.	
		*					27/01
135 1435	<i>Cape May Harbor Inlet Lighted Bell Buoy 2CM</i>	38 55 47 N 74 51 21 W	FI R 2.5s		4	Red.	
		*					27/01
145	<i>Sewell Point Buoy A Marks firing range.</i>	38 55 49 N 74 51 56 W				Yellow can.	Mariners are cautioned to keep outside buoys and give the area a wide berth.
		*					27/01
240 4730	<i>Ocean City Inlet Lighted Bell Buoy 2</i>	38 19 26 N 75 03 41 W	FI R 4s		4	Red.	
		*					27/01
OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)							
265	<i>Winter Quarter Shoal Buoy 5</i>	37 58 18 N 75 09 07 W				Green can.	
		*					27/01
285	<i>Blackfish Bank Buoy 8A</i>	37 50 25 N 75 15 53 W				Red nun.	
		*				*	27/01
300	<i>Turners Lump Lighted Bell Buoy 2TL</i>	37 48 55 N 75 22 29 W	FI R 4s		5	Red.	
		*					27/01
305 6600	<i>Wachapreague Inlet Lighted Whistle Buoy W</i>	37 34 54 N 75 33 37 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
		*					27/01
315	<i>Parramore Bank Lighted Gong Buoy 10</i>	37 32 04 N 75 25 53 W	FI R 4s		5	Red.	
		*					27/01
320 6700	<i>Quinby Inlet Lighted Whistle Buoy Q</i>	37 28 06 N 75 36 05 W	Mo (A) W		5	Red and white stripes.	
		*					27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
340 6965	<i>Sand Shoal Inlet Lighted Whistle Buoy A</i>	37 17 49 N 75 41 09 W	Mo (A) W		5	Red and white stripes.	
		*					27/01
385	<i>North Chesapeake Entrance Lighted Bell Buoy NCA</i>	36 58 40 N 75 48 36 W	FI Y 2.5s		6	Yellow.	
		*					27/01
390	<i>North Chesapeake Entrance Lighted Gong Buoy NCB</i>	36 58 03 N 75 50 49 W	FI Y 6s		7	Yellow.	
		*					27/01
395	<i>North Chesapeake Entrance Lighted Bell Buoy NCC</i>	36 57 26 N 75 52 59 W	FI Y 4s		6	Yellow.	
		*					27/01
400	<i>North Chesapeake Entrance Lighted Gong Buoy NCD</i>	36 56 49 N 75 55 05 W	FI Y 2.5s		6	Yellow.	
		*					27/01
405	<i>Chesapeake Bay Entrance Lighted Whistle Buoy C</i>	36 56 08 N 75 57 27 W	Mo (A) W		7	Red and white stripes with red spherical topmark.	
		*					27/01
OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)							
495	<i>Navy SESEF Lighted Buoy B</i>	36 55 02 N 75 45 29 W	FI Y 4s		5	Yellow.	
		*					27/01
565	<i>Bodie Island Lighted Buoy 8</i>	35 55 49 N 75 27 35 W	FI R 4s		5	Red.	
		*					27/01
OCEAN CITY INLET TO CAPE HATTERAS (Chart 12200)							
620	<i>Wimble Shoals Lighted Buoy 10</i>	35 35 43 N 75 19 23 W	FI R 4s		4	Red.	
		*					27/01
630	<i>Outer Diamond Shoal Buoy 2</i>	35 08 25 N 75 23 23 W				Red nun.	
		*					27/01
695	<i>Cape Lookout Shoals Lighted Buoy 6</i>	34 27 17 N 76 33 41 W	FI R 6s		4	Red.	
	*						27/01
700	<i>Cape Lookout Slough West Lighted Whistle Buoy W</i>	34 33 49 N 76 32 47 W	Mo (A) W		6	Red and white stripes.	
	*						27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
715	Beaufort Inlet Dumping Ground Buoy A					Yellow nun.	
						*	27/01
CAPE HATTERAS TO LITTLE RIVER INLET (Chart 11520)							
780	<i>Onslow Bay Wreck Lighted Buoy WR2 40 yards, 140° from last reported position of wreck.</i>	33 57 49 N 77 01 47 W	Q R		4	Red.	
						*	27/01
785	<i>Onslow Bay Lighted Buoy 4</i>	33 51 52 N 77 28 53 W	FI R 4s		4	Red.	
						*	27/01
Frying Pan Shoals							
820	<i>- Slough Approach Lighted Whistle Buoy SA</i>	33 42 37 N 77 51 05 W	Mo (A) W		6	Red and white stripes.	
	*						27/01
825	<i>- Slough Buoy 1</i>					Green can.	
	*						27/01
830	<i>- Slough Buoy 2</i>					Red nun.	
	*						27/01
870 31050	<i>Shalotte Inlet Lighted Whistle Bouy SH</i>		Mo (A) W		6	Red and white stripes with red spherical topmark.	Position frequently shifted with changing conditions.
	*						27/01
1410 75	<i>- Shoals Lighted Bell Buoy 4A</i>	39 07 05 N 74 40 38 W	FI R 4s		4	Red.	
						*	27/01
1520	<i>South Shoal Lump Lighted Buoy 8A</i>	38 49 18 N 75 01 35 W	Oc R 4s		4	Red.	
						*	27/01
*1877	<i>- Buoy 34A</i>					Red nun.	
							27/01
2655	<i>- RANGE FRONT LIGHT</i>	39 34 16 N 75 31 02 W	F W (Day) Q W (Night)	15		On skeleton tower.	DAY: Visible on range line only. NIGHT: Visible all around; higher intensity on range line.
						*	27/01
2660	<i>- RANGE REAR LIGHT 994 yards, 027.4° from front light.</i>		F W (Day) Iso W 6s (Night)	46		On skeleton tower.	DAY: Visible on range line only. NIGHT: Visible all around; higher intensity on range line.
	*						27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Christina River							
<i>Buoys located 50 feet outside of channel limit.</i>							
3000	- SOUTH JETTY LIGHT 1	39 42 55 N 75 30 45 W	FI G 2.5s	21	7	SG on skeleton tower.	
				*	*	*	27/01
4730 240	- Lighted Bell Buoy 2	38 19 26 N 75 03 41 W	FI R 4s		4	Red.	
		*					27/01
CHINCOTEAGUE INLET TO GREAT MACHIPONGO INLET (Chart 12210)							
Wachapreague Inlet							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
6600 305	- Lighted Whistle Buoy W	37 34 54 N 75 33 37 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
		*					27/01
Quinby Inlet							
<i>Position of buoys frequently shifted with changing conditions.</i>							
6700 320	- Lighted Whistle Buoy Q	37 28 06 N 75 36 05 W	Mo (A) W		5	Red and white stripes.	
		*					27/01
Sand Shoal Inlet							
<i>Positions of buoys frequently shifted with changing conditions.</i>							
6965 340	- Lighted Whistle Buoy A	37 17 49 N 75 41 09 W	Mo (A) W		5	Red and white stripes.	
		*					27/01
8405	- Lighted Buoy 3	39 09 08 N 76 21 08 W	FI G 4s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					27/01
8415	- Lighted Bell Buoy 5	39 09 30 N 76 22 21 W	FI G 6s		5	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					27/01
8430	- Lighted Buoy 8	39 09 59 N 76 23 31 W	FI R 4s		4	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
		*					27/01
*8441	TOLCHESTER CHANNEL RANGE FRONT LIGHT	39 08 08 N 76 20 08 W	FI W 2.5s	23		On platform on single pile structure.	Lighted throughout 24 hours.
							27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*8443	TOLCHESTER CHANNEL RANGE REAR LIGHT 1,932 yards, 220° from front light.		Iso W 6s	89		On platform on single pile structure.	Lighted throughout 24 hours. 27/01
*8444	TOLCHESTER CHANNEL RANGE REAR PASSING LIGHTS		Q W	25		On same structure as Tolchester Channel Range Rear Light.	Lights are located on the north and south corners of platform. 27/01
CAPE HENRY TO THIMBLE SHOAL LIGHT (Chart 12254)							
Thimble Shoal Channel							
<i>Vessels drawing less than 25 feet are not permitted to use this channel.</i>							
9205	- Lighted Bell Buoy 1TS	36 57 00 N 76 01 25 W	FI G 2.5s		4	Green.	 27/01
		*					27/01
27975	- Lighted Buoy 1		FI G 2.5s		4	Green.	 27/01
			*				27/01
29675	- Lighted Buoy 5		FI G 2.5s		3	Green.	 27/01
	*		*		*	*	27/01
Shallote Inlet							
<i>Due to frequently changing conditions, positions of aids are not listed.</i>							
31050 870	- Lighted Whistle Buoy SH		Mo (A) W		6	Red and white stripes with red spherical topmark.	 27/01
	*						27/01
Neuse River							
33715 38285	- LIGHT 7		FI G 4s	15	5	SG-SY on pile.	Ra ref. 27/01
				*	*		27/01
33865	Cherry Point Channel Daybeacon 4	34 56 28 N 76 48 37 W				TR on pile.	 27/01
		*					27/01
38652	- Buoy 2						Remove from list. * 27/01
39055	- Buoy 45C						Remove from list. * 27/01
39540	- Junction Daybeacon TC						Remove from list. * 27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Matecumbe Harbor							
*12375.01	- Daybeacon 1	24 51 21 N 80 44 43 W				SG on pile.	Private aid. 27/01
*12375.02	- Daybeacon 2					TR on pile.	Private aid. 27/01
*12375.03	- Daybeacon 3					SG on pile.	Private aid. 27/01
*12375.04	- Daybeacon 4					TR on pile.	Private aid. 27/01
*12375.05	- Daybeacon 6					TR on pile.	Private aid. 27/01
*12375.06	- Daybeacon 7					SG on pile.	Private aid. 27/01
*Add Heading: *Bowlegs Cut							
12380	Lower Matecumbe Obstruction Daybeacon	24 50 54 N 80 45 06 W				NW on pile worded DANGER SUBMERGED PILING.	 27/01
*25600.01	TREASURE ISLAND NORTH TERMINAL GROIN OBSTRUCTION LIGHT	27 46 50 N 82 47 01 W	FI W 6s	13	5	NW on pile worded DANGER SUBMERGED GROIN.	Private aid. 27/01
35205.01	- Buoy 184A						Remove from list. * 27/01
*Add Heading: *Winyah Bay - Charleston Harbor Ashepoo-Coosaw Cut-off							
35205.02	- Daybeacon 185	32 30 39 N 80 30 08 W				SG-SY on pile.	 27/01
	*					*	
*50700.5	- Buoy 6A	27 09 55 N 80 24 24 W				Red nun with yellow triangle.	 27/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*687	Spinnaker-103-4 Lighted Buoy Marks subsea installation.	28 12 49 N 90 36 47 W	Q W			White with orange bands.	Private aid. 27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*972	Spinnaker-102-3 Lighted Buoy Marks subsea installation.	28 34 29 N 93 03 30 W	Q W			White with orange bands.	Private aid. 27/01
2820 29090	- JUNCTION LIGHT TM	29 42 45 N 84 58 49 W	FI (2+1) G 6s	17	3	JG-SY on pile.	Ra ref. 27/01
		*					27/01
	*Add Heading: *Blacks Island Channel						
*2867	- Buoy 1	29 43 06 N 85 19 54 W				Green can.	Private aid. 27/01
*2868	- Buoy 2	29 43 40 N 85 20 24 W				Red nun.	Private aid. 27/01
*2869	- Buoy 3	29 43 32 N 85 21 11 W				Green can.	Private aid. 27/01
22922	- LIGHT 34	29 24 29 N 94 49 14 W	FI R 4s	17	4	TR on pile.	 27/01
		*					27/01
29090 2820	- JUNCTION LIGHT TM	29 42 45 N 84 58 49 W	FI (2+1) G 6s	17	3	JG-SY on pile.	Ra ref. 27/01
		*					27/01
33673	Green Pines Island Buoy 4	29 51 03 N 92 21 45 W				Red nun with yellow triangle.	 27/01
		*					27/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10145	- Rock Buoy	46 11 56 N 123 47 43 W				Red and green bands; nun.	 27/01
		*					27/01
10535	Elochoman Buoy 1	46 12 16 N 123 23 24 W				Green can.	 27/01
		*					27/01
10716	West Fisher Island Slough Pollution Response Buoy	46 10 22 N 123 05 04 W				Yellow.	 27/01
		*					27/01
10741	East Fisher Island Slough Pollution Response Buoy	46 09 41 N 123 02 42 W				Yellow.	 27/01
		*					27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10750	BARLOW POINT LIGHT 13	46 08 39 N 123 01 50 W	Q G	10	5	SG on dolphin.	
		*					27/01
10765	<i>La Du Rock Lighted Buoy 19</i>	46 07 51 N 122 59 58 W	FI G 4s		4	Green.	
		*					27/01
10770	LORD ISLAND LIGHT 20	46 07 37 N 122 59 59 W	FI R 4s	25	4	TR on platform.	Higher intensity beam up and down channel.
		*					27/01
10805	DIBBLEE DIKE LIGHT 22 190 feet outside channel limit.	46 07 04 N 122 59 14 W	FI R 6s	15	4	TR on pile structure.	Higher intensity beam up and down channel.
		*					27/01
10810	SLAUGHTERS DIKE LIGHT 26 515 feet outside channel limit.	46 06 34 N 122 58 34 W	FI R 2.5s	15	4	TR on dolphin.	Higher intensity beam up and down channel.
		*					27/01
Cottonwood Island							
10840	- DIKE LIGHT 29A	46 05 29 N 122 55 03 W	FI G 6s	17	4	SG on dolphin.	
		*					27/01
10845	- DIKE LIGHT 31	46 05 18 N 122 54 33 W	FI G 2.5s	15	4	SG on dolphin.	
		*					27/01
10850	- DIKE LIGHT 33	46 05 05 N 122 54 04 W	FI G 4s	12	4	SG on dolphin.	
		*					27/01
10860	- LIGHT 35	46 04 43 N 122 53 36 W	FI G 4s	15	4	SG on pile.	
		*					27/01
14528	- Buoy 4	46 16 03 N 123 57 19 W				Red nun.	
		*					27/01
*16856	COAST GUARD PIER LIGHT NORTH	47 35 27 N 122 20 35 W	F R	15	6	On pier.	
							27/01
16857	COAST GUARD PIER LIGHT SOUTH	47 35 24 N 122 20 36 W	F R	15	6	On pier.	
	*				*		27/01
27872	OKWEGA PASS LIGHT OP	63 02 26 N 163 39 21 W	FI (2+1) G 6s	19	3	JG on skeleton tower.	
		*					27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4725	- RANGE FRONT LIGHT	41 28 36 N 82 41 48 W	Q G	33 10	9	KRW on skeleton tower.	Visible on range line only. Higher intensity on rangeline. * 27/01
5255	PLEASANT POINTE NORTH PIER LIGHT	41 32 24 N 82 42 54 W	Q W	16 5		On post.	Maintained from Apr. 15 to Nov. 30. Private aid. * 27/01
5260	PLEASANT POINTE SOUTHEAST PIER LIGHT	41 32 22 N 82 42 52 W	F R	16 5		On post.	Maintained from Apr. 15 to Nov. 30. Private aid. * 27/01
*5261	PLEASANT POINTE SOUTH PIER LIGHT	41 32 22 N 82 42 53 W	F G	16 5		On post.	Maintained from Apr. 15 to Nov. 30. Private aid. 27/01
5849.3	LEMARIN ENTRANCE LIGHT 5	41 33 36 N 82 51 12 W	F G	20 6		SG on concrete pile.	Maintained from Apr. 1 to Nov. 30. Private aid. * 27/01
5849.4	LEMARIN ENTRANCE SOUTH LIGHT 6	41 33 32 N 82 51 11 W	F R	20 6		TR on concrete pile.	Maintained from Apr. 1 to Nov. 30. Private aid. * 27/01
*Change Note to Read:							
Barkers Island Marina							
<i>*Buoys maintained from May 1 to Nov. 1.</i>							
15710	- Lighted Buoy 1	46 42 50 N 92 02 49 W	FI G 2s			Green.	Private aid. * 27/01
15715	- Lighted Buoy 2	46 42 51 N 92 02 50 W	FI R 2s			Red.	Private aid. * 27/01
15730	- Buoy 5					Green can.	Private aid. * 27/01
15735	- Buoy 6					Red nun..	Private aid. * 27/01
*15746	- Buoy 9					Green can.	Private aid. 27/01
*15747	- Buoy 10					Red nun.	Private aid. 27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
16650	Hat Point Gong Buoy 1	47 57 00 N 89 38 40 W				Green.	Maintained from May 28 to Oct. 14.

*

27/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.