

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13555	-Lighted Buoy 9	41 32 07 N 69 59 27 W	FI G 4s		4	Green.	
	*	*	*		*	*	37/01
25870	<i>Chimney Sweeps Lighted Buoy 1</i> On east side of shoal.	40 51 45 N 73 46 47 W	FI G 4s		4	Green.	Replaced by can when endangered by ice.
		*					37/01
<b>City Island</b>							
25970	Big Tom Rock Buoy BT	40 50 08 N 73 47 16 W				White with orange bands; can.	
		*					37/01
25985	- Wreck Buoy WR6	40 50 38 N 73 47 44 W				Red nun.	
		*					37/01
26000	<i>Cuban Ledge Junction Lighted Buoy CL</i>	40 50 05 N 73 47 58 W	FI (2+1) R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
		*					37/01
<b>Eastchester Bay</b>							
26010	<i>Cuban Ledge Lighted Buoy 2</i> Marks southwest edge of ledge.	40 50 27 N 73 48 16 W	FI R 4s		4	Red.	Replaced by nun when endangered by ice.
		*					37/01
27240	- Buoy 7	40 48 08 N 73 53 46 W				Green can.	
		*					37/01
27315	ROOSEVELT ISLAND REEF LIGHT 17	40 44 47 N 73 57 52 W	FI G 4s	57	6	SG on skeleton tower on white base.	Higher intensity beam up and down stream.
		*					37/01
27555	- Channel Buoy 2	40 48 05 N 73 51 51 W				Red nun.	
		*					37/01
34445	- <i>Lighted Buoy W</i>	40 36 03 N 73 48 16 W	FI (2+1) G 6s		5	Green and red bands.	Replaced by can when endangered by ice.
		*					37/01
34600	Bergen Basin Buoy 3	40 38 44 N 73 49 18 W				Green can.	
		*					37/01

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Coney Island Creek Entrance</b>							
35335	- Buoy 1 On south side of 6-foot shoal.	40 34 59 N 74 00 20 W				Green can.	
		*					37/01
<b>Old Orchard Shoal</b>							
35395	- LIGHT	40 30 44 N 74 05 55 W	<b>FI W 6s</b> <b>(R sector)</b>	51	W 7 R 5	Conical tower, lower half brown, upper half white, on black cylindrical pier.	Red from 087° to 203°.
		*					37/01
36645	OUTERBRIDGE REACH RANGE REAR LIGHT 265 yards, 351.5° from front light.	40 33 14 N 74 15 14 W	<b>Iso G 6s</b>	55		KRW on black skeleton tower.	Visible on range line only.
		*		*			37/01
37170	- North Buoy 2	40 40 06 N 74 04 32 W				Red nun.	
		*					37/01
<b>Tarrytown South Channel</b>							
37695	- RANGE FRONT LIGHT	41 04 38 N 73 52 05 W	<b>F R</b>	30		KGR on red skeleton tower.	Visible all around; higher intensity on range line.
		*					37/01
37775	ROCKLAND LAKE LIGHT On shoal.	41 08 50 N 73 54 17 W	<b>FI W 6s</b>	50	6	NG on skeleton tower.	
		*					* 37/01
37790	HAYERSTRAW BAY SOUTH REACH RANGE FRONT LIGHT	41 09 49 N 73 55 20 W	<b>Q W</b>	20		KGW on skeleton tower.	Visible on range line only.
		*					37/01
37900	HAYERSTRAW BAY NORTH REACH RANGE FRONT LIGHT	41 14 45 N 73 57 49 W	<b>Q R</b>	25		KRW on skeleton tower.	Visible on range line only.
		*					37/01
38025	- LIGHT 48	41 27 19 N 73 59 28 W	<b>FI R 4s</b>	45	4	TR on skeleton tower.	
		*		*			37/01

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>Delaware Bay (East Side)</b>							
1945	EGG ISLAND POINT LIGHT	39 10 21 N 75 07 55 W	<b>FI W 4s</b>	27	7	NR on skeleton tower; on piles.	
		*				*	37/01
1970	NANTUXENT POINT LIGHT	39 16 38 N 75 14 42 W	<b>FI W 4s</b>	33	7	NR on skeleton tower.	
		*				*	37/01
1980	BEN DAVIS POINT LIGHT BD	39 17 27 N 75 17 18 W	<b>FI W 6s</b>	30	6	NG on skeleton tower on piles.	
		*					37/01
2475	HOPE CREEK JETTY LIGHT 1	39 26 38 N 75 30 41 W	<b>Q G</b>	16	6	SG and NW on pile on red cement block, NW worded DANGER SUBMERGED JETTY.	
		*					37/01
2717	SALEM CANAL EAST LIGHT B						<i>Remove from list.</i>
							* 37/01
<b>*Add Heading: *Dredge Harbor</b>							
*3779	-Lighted Buoy 8	40 01 59 N 74 59 04 W	<b>Q R</b>				Red Private Aid  37/01
*3779.01	-Lighted Buoy 9		<b>Q G</b>				Green Private aid  37/01
*3779.02	-Lighted Buoy 10		<b>FI R 4s</b>				Red Private aid  37/01
*3779.03	-Lighted Buoy 11		<b>FI G 4s</b>				Green Private aid  37/01
<b>*Add Heading: *Upper Delaware River</b>							
3780	- Channel Buoy 19					Green can.	37/01
3890	EDGEWATER UPPER RANGE FRONT LIGHT	40 04 54 N 74 52 26 W	<b>Q G</b>	29		KRG on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.  37/01
		*					
3965	LEHIGH LOWER RANGE FRONT LIGHT	40 04 51 N 74 51 52 W	<b>Oc W 4s (Day) Oc G 4s (Night)</b>	43		On skeleton tower.	Visible all around; higher intensity on range line. Lighted throughout 24 hours.  37/01
		*					

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3970	LEHIGH LOWER RANGE REAR LIGHT 44 yards, 208.6° from front light.		<b>F W</b> (Day) <b>F G</b> (Night)	49		On skeleton tower.	Visible all around; higher intensity on range line. Lighted throughout 24 hours.
	*						37/01
4020	KEYSTONE RANGE FRONT LIGHT	40 06 32 N 74 49 51 W	<b>Iso R 6s</b>	42		KRW on skeleton tower on small house.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
		*					37/01
4025	KEYSTONE RANGE REAR LIGHT 66 yards, 039.1° from front light.		<b>F R</b>	49		KRW on skeleton tower on small house.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
	*						37/01
4080	FLORENCE LOWER RANGE FRONT LIGHT	40 07 46 N 74 49 14 W	<b>Q W</b>	27		KRG on skeleton tower.	Visible all around; higher intensity on rangeline.
		*					37/01
4085	FLORENCE LOWER RANGE REAR LIGHT 252 yards, 291.3° from front light.		<b>Iso W 6s</b>	40		KRG on skeleton tower.	Visible all around; higher intensity on rangeline.
	*						37/01
4100	FLORENCE UPPER RANGE FRONT LIGHT	40 07 08 N 74 47 07 W	<b>Q W</b>	25		KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
		*					37/01
4105	FLORENCE UPPER RANGE REAR LIGHT 278 yards, 111.3° from front light.		<b>Oc W 4s</b>	49		KRW on skeleton tower.	Visible on range line only. Lighted throughout 24 hours.
	*						37/01
4110	KINKORA LOWER RANGE FRONT LIGHT	40 07 08 N 74 47 07 W	<b>Q W</b>	25		KWR on skeleton tower. Same structure as Florence Upper Range Front Light.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
		*					37/01
4115	KINKORA LOWER RANGE REAR LIGHT 120 yards, 230.3° from front light.		<b>Oc W 4s</b>	37		KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
	*						37/01
4125	ROEBLING RANGE FRONT LIGHT	40 07 17 N 74 46 42 W	<b>Oc R 4s</b>	35		KRW on skeleton tower.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
		*					37/01
4130	ROEBLING RANGE REAR LIGHT 41 yards, 079.8° from front light.		<b>Oc R 4s</b>	40		KRW on tower with small house on concrete base.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
	*						37/01

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

**SECTION II**

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4145	KINKORA UPPER RANGE FRONT LIGHT	40 08 10 N 74 45 29 W	<b>Q G</b>	23		KRW on skeleton tower.	Visible on range line only.
		*					37/01
4150	KINKORA UPPER RANGE REAR LIGHT 120 yards, 050.3° from front light.		<b>Iso G 6s</b>	44		KRW on skeleton tower.	Visible on range line only.
	*						37/01
*9831	-Buoy 8					Red nun	
							37/01
*9832	-Daybeacon 10					TR on pile.	
							37/01
12065	GOOSE HILL CHANNEL RANGE FRONT LIGHT	37 10 18 N 76 45 12 W	<b>FI W 2.5s</b>	16		On multi-pile structure.	Visible on range line. Lighted throughout 24 hours.
			*	*		*	* 37/01
12070	GOOSE HILL CHANNEL RANGE REAR LIGHT 633 yards, 227° from front light.		<b>Iso W 6s</b>	40		On multi-pile structure.	Visible on rangeline. Lighted throughout 24 hours.
				*		*	* 37/01
16690	Molls Cove Daybeacon 2M					TR on pile.	
	*						37/01
<b>Lake Ogleton Entrance</b>							
19815	- LIGHT 1L	38 57 06 N 76 27 29 W	<b>FI G 4s</b>	15	4	SG on pile.	Light equipment removed from Dec. 1 to Mar. 15.
		*					37/01
25930	- WEST CHANNEL LIGHT 4		<b>FI R 4s</b>	15	4	TR on pile.	
				*	*		37/01
29545	- Buoy 10A						<i>Remove from list.</i>
							* 37/01
29548	- Buoy 10B						<i>Remove from list.</i>
							* 37/01
29550	- Lighted Buoy 11						<i>Remove from list.</i>
							* 37/01
<b>Swansboro Coast Guard Channel</b>							
29605	- Buoy 2	34 39 18 N 77 06 20 W				Red nun.	
		*					37/01

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34932	- LIGHT 3	40 00 01 N 74 01 55 W	<b>FI G</b> 6s	35	8	SG on skeleton tower.	HORN: 1 blast ev 30s (3s bl)
		*			*		* 37/01
35510	GRAVELING POINT BASIN RANGE FRONT LIGHT						<i>Remove from list.</i>
							* 37/01
35515	GRAVELING POINT BASIN RANGE REAR LIGHT						<i>Remove from list.</i>
							* 37/01

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4675	<i>Lazaretto Creek Lighted Buoy WR 3A Marks obstruction.</i>	32 00 33 N 80 53 12 W	<b>FI G</b> 2.5s		3	Green.	
		*					37/01
22600	- RANGE FRONT LIGHT	27 41 55 N 82 32 50 W	<b>Q W</b>	17		On piles.	Visible 2° each side of range line. Lighted throughout 24 hours.
						*	37/01
22605	- RANGE REAR LIGHT 1,790 yards, 061.2° from front light.		<b>Iso W</b> 6s	50		On skeleton tower on piles.	Visible 2° each side of range line. Lighted throughout 24 hours.
						*	37/01
22760	- RANGE FRONT LIGHT	27 45 48 N 82 31 14 W	<b>Q W</b>	15		On small house on piles.	Lighted throughout 24 hours.
						*	37/01
22765	- RANGE REAR LIGHT 1,271 yards, 017.9° from front light.		<b>Iso W</b> 6s	50		On skeleton tower on piles.	Lighted throughout 24 hours.
						*	37/01

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*783	<i>Dominion-102-2 Lighted Buoy Marks subsea installation.</i>	28 21 59 N 91 15 50 W	<b>Q W</b>			White with orange bands.	SIGN: DEP-SS-249-6 Private aid.
							37/01
8260	- LIGHT 13		<b>FI G</b> 2.5s	17	3	SG on pile.	
						*	37/01

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2000							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*27913	- Daybeacon 9					SG on pile.	Ra ref.  37/01
*27914	- Daybeacon 10					TR on pile.	Ra ref.  37/01
34278	- LIGHT 24						<i>Remove from list.</i>  * 37/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
19533	- River Buoy 8					Red nun.	Maintained from Apr. 28 to Nov. 1.  37/01

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
 Denotes a new entry when preceding the station number.