

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*23883	University of Connecticut Environmental Monitoring Buoy B					Yellow.	44/01
*23893	University of Connecticut Environmental Monitoring Lighted Buoy A.		FI Y 4s			Yellow.	44/01
24930	PECK LEDGE LIGHT	41 04 38 N 73 22 11 W	FI W 2.5s	61	7	White conical tower, middle part brown, on black cylindrical pier.	44/01
		*	*				44/01
Cumberland Bay							
39415	PLATTSBURG BREAKWATER SOUTHWEST LIGHT	44 41 36 N 73 26 22 W	FI W 2.5s	10	6	NW on post worded DANGER JETTY.	44/01
		*		*			44/01
39420	PLATTSBURG BREAKWATER NORTHEAST LIGHT	44 41 46 N 73 26 09 W	FI W 4s	29	6	NW on skeleton tower worded DANGER JETTY.	44/01
		*					44/01
Valcour Island Channel							
39460	Valcour Shoal Buoy 2 At southeast side of 5-foot shoal.	44 38 13 N 73 25 50 W				Red nun.	44/01
		*					44/01
39500	Allen Point Buoy 1 At south end of 1-foot shoal.	44 35 31 N 73 18 21 W				Green can.	44/01
		*					44/01
39510	Coates Island Warning Buoy	44 33 34 N 73 13 40 W				White with orange bands; can.	44/01
		*					44/01
39520	Jones Rock Buoy 31	44 34 40 N 73 20 22 W				Green can.	Maintained from May 1 to Nov. 1. 44/01
		*					44/01
Appletree Bay							
39605	Appletree Point Buoy 1 At southeast side of 8-foot spot.	44 29 47 N 73 16 06 W				Green can.	44/01
		*					44/01
South Entrance							
39705	Juniper Ledge Buoy 1 At south side of ledge.	44 26 14 N 73 16 25 W				Green can.	Maintained from May 1 to Nov. 1. 44/01
		*					44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
39710	JUNIPER ISLAND LIGHT	44 26 58 N 73 16 35 W	FI W 4s	115	7	On white skeleton tower.	
		*					44/01
39775	<i>Quaker Smith Reef Lighted Buoy 47 At southwest side of reef.</i>	44 23 05 N 73 17 45 W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to May 1.
		*					44/01
39810	SPLIT ROCK POINT LIGHT S	44 16 09 N 73 19 17 W	FI W 4s	93	7	NB on red skeleton tower.	
		*					44/01
39825	DIAMOND ISLAND LIGHT	44 14 12 N 73 20 01 W	FI W 4s	37	6	White skeleton tower, small white house.	
		*					44/01
39880	<i>Putnam Creek Lighted Buoy 62</i>	43 57 27 N 73 24 25 W	FI R 2.5s		4	Red.	Replaced by nun from Nov. 1 to May 1.
		*					44/01
39895	FIVEMILE POINT LIGHT	43 54 14 N 73 24 05 W	FI W 4s	25	7	NR on skeleton tower.	
		*					44/01
39945	ORWELL BLUFF LIGHT OB	43 46 40 N 73 20 58 W	FI W 4s	38	6	NG on black skeleton tower.	
		*					44/01
39955	<i>Stony Point Lighted Buoy 81 West side of shoal.</i>	43 44 32 N 73 22 07 W	FI G 4s		4	Green.	Replaced by can from Nov. 1 to May 1.
		*					44/01
Whitehall Narrows							
39960	- LIGHT 1	43 43 20 N 73 22 09 W	FI G 2.5s	25	4	SG on skeleton tower.	
		*					44/01
39980	- LIGHT 6	43 41 56 N 73 23 39 W	FI R 2.5s	25	4	TR on skeleton tower.	
		*					44/01
39990	- LIGHT 9	43 41 31 N 73 24 10 W	FI G 2.5s	25	4	SG on skeleton tower.	
		*					44/01
40015	- <i>Lighted Buoy 16</i>	43 40 13 N 73 24 30 W	FI R 2.5s		3	Red.	Replaced by nun from Nov. 1 to May 1.
		*					44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40035	- LIGHT 21	43 38 51 N 73 25 09 W	FI G 2.5s	25	4	SG on skeleton tower on concrete base.	
		*					44/01
40040	- LIGHT 22	43 38 12 N 73 25 47 W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
		*					44/01
40050	- LIGHT 26	43 37 20 N 73 25 06 W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
		*					44/01
40065	- LIGHT 30	43 36 12 N 73 25 22 W	FI R 2.5s	25	4	TR on skeleton tower on concrete base.	
		*					44/01
40100	WHIPPLE POINT LIGHT	44 57 48 N 72 13 52 W	FI W 4s	25	6	On white skeleton tower.	Maintained year round.
		*					44/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
845	- Lighted Buoy 4FP	33 36 30 N 77 54 56 W	FI R 2.5s		4	Red.	
		*					44/01
1748	- Buoy 14	39 13 22 N 75 01 46 W				Red nun.	Maintained from Apr 1 to Nov 15.
		*					* 44/01
2145	- Channel Buoy 18	38 37 18 N 75 05 43 W				Red nun.	
		*					44/01
3345	- UPPER JETTY LIGHT 1		FI G 2.5s	15	3	SG on white pile; concrete base.	
				*			44/01
3350	- LOWER JETTY LIGHT 2	39 51 11 N 75 13 52 W	FI R 4s	15	3	TR on pile; concrete base.	
		*		*			44/01
7745	- Lighted Buoy 84A		FI R 2.5s		3	Red.	
					*		44/01
8345	- Lighted Buoy 3	39 05 23 N 76 18 19 W	FI G 2.5s		3	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
					*		44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
8380	- Lighted Buoy 10		Q R		3	Red.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
					*		44/01
12680	- LIGHT 144		FI R 4s	16	4	TR on pile.	
					*	*	44/01
21640	Nassawadox Creek Warning Daybeacon A	37 27 58 N 75 58 13 W				NW on pile worded DANGER SHOAL.	
		*					44/01
21645	- Daybeacon 5	37 28 10 N 75 57 56 W				SG on pile.	
		*					44/01
21660	Nassawadox Creek Warning Daybeacon B	37 28 19 N 75 57 36 W				NW on pile worded DANGER SHOAL.	
		*					44/01
28105	- CHANNEL LIGHT 31	35 45 54 N 75 34 28 W	Q G	15	3	SG on pile.	
		*			*		44/01
Albemarle Sound							
Kitty Hawk Bay							
31330	- Light 2KH		FI R 4s	16	5	TR on pile.	
				*	*		44/01
CAPE HENRY TO PAMLICO SOUND (Chart 12205)							
Albemarle Sound							
31485	- LIGHT 1AS	36 09 23 N 75 58 39 W	FI G 6s	16	6	SG on pile.	
		*			*		44/01
Perquimans River							
31510	- ENTRANCE LIGHT 2P	36 04 31 N 76 12 55 W	FI R 2.5s	15	5	TR on pile.	Light equipment removed when endangered by ice.
		*			*		44/01
31520	- LIGHT 5	36 06 08 N 76 17 46 W	FI G 4s	15	4	SG on pile.	Light equipment removed when endangered by ice.
		*			*		44/01
Bull Bay							
31575	- Warning Daybeacon 15 feet, 092° from wreck.	35 58 07 N 76 21 47 W				NW on pile worded DANGER SUBMERGED WRECK.	
		*					44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Scuppernong River							
31585	- CHANNEL LIGHT 1SR	35 56 58 N 76 19 36 W	FI G 4s	15	4	SG on multi-pile structure.	
		*				*	44/01
Albemarle Sound							
31630	- LIGHT 2AS	36 03 08 N 76 18 41 W	Q R	24	3	TR on multi-pile structure.	
		*				*	44/01
31635	- LIGHT 5AS	36 00 06 N 76 23 32 W	FI G 4s	48	5	SG on skeleton tower.	
		*					44/01
31645	- LIGHT 6AS		FI R 4s	15	4	TR on pile.	
					*		44/01
31650	- LIGHT 8AS	35 59 10 N 76 35 15 W	FI R 4s	20	5	TR on multi-pile structure.	Higher intensity beam toward 089°.
		*			*	*	44/01
31655	- LIGHT 9AS	35 59 05 N 76 35 20 W	FI G 4s	20	5	SG on multi-pile structure.	Higher intensity beam toward 336°.
		*			*	*	44/01
31660	KENDRICK CREEK CHANNEL ENTRANCE LIGHT 1KC 10 feet outside channel limit.	35 56 33 N 76 36 42 W	FI G 2.5s	15	3	SG on pile.	
	*	*					44/01
Roanoke River							
<i>Aids located 15 feet outside channel limit.</i>							
31670	- CHANNEL ENTRANCE LIGHT 1RR	35 57 18 N 76 39 31 W	FI G 4s	15	4	SG on multi-pile structure.	Higher intensity beam toward drawbridge.
		*				*	44/01
31790	- ENTRANCE LIGHT 2CR	36 01 44 N 76 40 21 W	FI R 4s	15	4	TR on multi-pile structure.	Higher intensity beam towards 133°.
		*				*	44/01
Far Creek Channel							
32105	- LIGHT 1FC 20 feet outside channel limit.	35 30 31 N 75 56 59 W	FI G 2.5s	15	4	SG on multi-pile structure.	
		*				*	44/01
32155	- ENTRANCE LIGHT 3		FI G 4s	15	3	SG on multi-pile structure.	
				*	*	*	44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
32170	- LIGHT 6		FI R 4s	15	3	TR on multi-pile structure.	
				*		*	44/01
32175	-LIGHT 7	35 26 01 N 76 03 29 W	FI G 4s	15	4	SG on multi-pile structure.	
	*	*				*	44/01
ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)							
Albemarle Sound							
37825	- NORTH LIGHT N	36 06 07 N 75 54 44 W	Iso W 6s	21	6	NB-I on multipile structure.	
							* 44/01
37845	- LIGHT 7		FI G 2.5s	15	3	SG-SY on pile.	
					*		* 44/01
37850	- LIGHT 8	35 56 38 N 75 59 19 W	Q R	15	4	TR-TY on multi-pile structure.	
				*	*		* 44/01
37855	- LIGHT 10		FI R 2.5s	15	3	TR-TY on multi-pile structure.	
				*		*	* 44/01
37860	- LIGHT 12	35 54 54 N 76 00 13 W	FI R 4s	18	3	TR-TY on multi-pile structure.	
							* 44/01
37865	- LIGHT 14		FI R 2.5s	18	3	TR-TY on pile.	
							* 44/01
37870	- LIGHT 16		FI R 4s	15	3	TR-TY on pile.	
				*			* 44/01
*39031	-Daybeacon 42A					TR-TY on pile.	44/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1535 26070	ANCLOTE ANCHORAGE SOUTH ENTRANCE LIGHT 1	28 08 17 N 82 51 57 W	FI G 4s	15	4	SG on pile.	
		*					44/01
22800	- SOUTH RANGE REAR LIGHT 974 yards, 179.5° from front light.		Iso G 6s FI W 4s	46 46	5	KRW on piles.	Visible 2° each side of rangeline. Passing light visible all around.
				*			44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Anclote Anchorage South Entrance							
26070 1535	- LIGHT 1	28 08 17 N 82 51 57 W	FI G 4s	15	4	SG on pile.	
		*					44/01

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
328	<i>NOAA Lighted Buoy 420TP</i>	30 04 24 N 88 44 57 W	FI(4) Y 20s			Yellow disk buoy with mast.	Maintained by National Oceanic and Atmospheric Administration.
		*					26/01
475	WEST DELTA WRECK LIGHT WR Marks sunken barge.						<i>Remove from list.</i>
							* 35/01
*783	<i>Dominion-102-2 Lighted Buoy</i> Marks subsea installation.	28 21 59 N 91 15 50 W	Q W			White with orange bands.	SIGN: DEP-SS-249-6 Private aid.
							37/01
827	Newfield-102-21 Buoy Marks subsea installation.						<i>Remove from list.</i>
							* 36/01
*972	<i>Spinnaker-102-3 Lighted Buoy</i> Marks subsea installation.	28 34 29 N 93 03 30 W	Q W			White with orange bands.	Private aid.
							27/01
977	<i>Hall Houston-126-4 Lighted Horn Buoy</i> Marks subsea installation.						<i>Remove from list.</i>
							* 38/01
1305 25950	Matagorda Ship Channel Entrance Light	28 25 18 N 96 19 06 W	FI W 10s	57	14	On same structure as Matagorda Ship Channel Range B Rear Light.	Obscured from 257° to 040°.
						*	28/01
*1337	<i>HEC 118-7 Lighted Buoy</i> Marks subsea installation.	27 48 34 N 96 46 51 W	Q R			Red.	SIGN: THEC-MU-726 Private aid.
							34/01
1385 28140	<i>Brazos Santiago Pass Entrance Lighted Whistle Buoy BS</i>	26 03 54 N 97 06 36 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B(-•••)
							* 34/01
2425	- LIGHT 15	29 48 36 N 84 39 54 W	FI G 4s	17	4	SG on dolphin.	Ra ref.
						*	28/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Carrabelle River							
2450	- Daybeacon 1					SG on pile.	Ra ref. * 28/01
2700	- Daybeacon 3					SG on pile.	Ra ref. * 26/01
2820 29090	- JUNCTION LIGHT TM	29 42 45 N 84 58 49 W	FI (2+1) G 6s	17	3	JG-SY on pile.	Ra ref. * 27/01
*Add Heading: *Blacks Island Channel							
*2867	- Buoy 1	29 43 06 N 85 19 54 W				Green can.	Private aid. 27/01
*2868	- Buoy 2	29 43 40 N 85 20 24 W				Red nun.	Private aid. 27/01
*2869	- Buoy 3	29 43 32 N 85 21 11 W				Green can.	Private aid. 27/01
*Add Heading: *Mexico Beach Canal Entrance							
*3167	- LIGHT 1	29 56 55 N 85 25 49 W	FI G 6s	10		SG on pile.	Private aid. 32/01
*3167.02	- LIGHT 2		FI R 6s	10		TR on pile.	Private aid. 32/01
*3167.04	- LIGHT 3		FI G 6s	10		SG on pile.	Private aid. 32/01
*3167.06	- LIGHT 4	29 56 57 N 85 25 49 W	FI R 6s	10		TR on pile.	Private aid. 32/01
*3167.08	- LIGHT 5		FI G 6s	10		SG on pile.	Private aid. 32/01
*3167.1	- LIGHT 6		FI R 6s	10		TR on pile.	Private aid. 32/01
*3167.12	- Daybeacon 7	29 57 00 N 85 25 50 W		10		SG on pile.	Private aid. 33/01
*3167.14	- Daybeacon 8			10		TR on pile.	Private aid. 33/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*3167.16	- LIGHT 9		FI G 6s	10		SG on pile.	Private aid. 33/01
*3167.18	- LIGHT 10	29 57 07 N 85 25 49 W	FI R 6s	10		TR on pile.	Private aid. 33/01
*3167.2	- Daybeacon 11			10		SG on pile.	Private aid. 33/01
*3167.22	- Daybeacon 12			10		TR on pile.	Private aid. 33/01
*3167.24	- LIGHT 13		FI G 6s	10		SG on pile.	Private aid. 33/01
*3167.26	- LIGHT 14	29 57 02 N 85 25 50 W	FI R 6s	10		TR on pile.	Private aid. 33/01
*3297 29727	- Coast Guard Mooring Buoy	30 07 28 N 85 38 12 W					For use by USCG only. 26/01
3645	- Daybeacon 7					SG on pile.	Ra ref. * 34/01
4387	CHICO MARINA LIGHT 1	30 23 58 N 87 14 34 W	FI G 2.5s	8		On pile.	Private aid. 26/01
		*					
4692	ESCAMBIA BAY WRECK LIGHT WR3	30 28 37 N 87 07 47 W	Q G	17		SG on pile.	Marks submerged wreck. 26/01
		*					
4980	- Lighted Buoy 3		FI G 2.5s		4	Green.	 36/01
			*				
4985	- Lighted Buoy 4		FI R 2.5s		4	Red.	 36/01
			*				
Mobile Channel							
5105	- LOWER REACH OUTER RANGE FRONT LIGHT	30 14 09 N 88 02 30 W	FI W 2.5s (Day) FI W 2.5s (Night)	22 20		Platform on pile.	DAY: Visible on range line only. NIGHT: Visible all around, higher intensity on range line. 42/01
		*					
5110	- LOWER REACH OUTER RANGE REAR LIGHT 2,099 yards, 187° from front light.		Oc W 4s (Day) Oc W 4s (Night)	80 82		Skeleton tower on piles.	 * 42/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*5532	Boise Cascade Water Intake Buoy LDB mile 89.5	31 29 24 N 87 54 19 W				Red.	Private aid. 40/01
6645	- WRECK LIGHT WR2	30 21 22 N 88 16 31 W	FI W 2.5s	17	3	TR on pile.	Ra ref. 32/01
		*					
6778	<i>Petit Bayou Lighted Wreck Buoy WR 2</i>	30 12 19 N 88 17 56 W	Q R		3	Red.	 32/01
	*	*					
7075	- RANGE C FRONT LIGHT	30 20 42 N 88 34 18 W	Q R	63		On skeleton tower on piles.	Visible 2° each side of rangeline. 30/01
						*	
*7552	- Daybeacon 9					SG on pile.	 29/01
*7567	- Daybeacon 13					SG on pile	 29/01
7590	- Daybeacon 17					SG on pile.	Ra ref. * 29/01
7955	- Daybeacon 6						Remove from list. * 40/01
7960	- Daybeacon 7						Remove from list. * 40/01
8035	- Daybeacon 29						Remove from list. * 40/01
8260	- LIGHT 13		FI G 2.5s	17	3	SG on pile.	 * 37/01
						*	
Gulfport Small Boat Harbor							
8745	- Buoy 1	30 20 46 N 89 04 50 W				Green can.	 * 38/01
		*					
9110	- Daybeacon 3					SG on pile.	Ra ref. * 29/01
							*
Southern Natural Gas							
9715	IRISH BAYOU LIGHT 1	30 08 30 N 89 51 32 W	FI G 6s	17	4	SG on pile.	Ra ref. * 38/01
						*	*

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
9857	- Entrance Daybeacon 4	30 15 19 N 89 57 01 W		15		TR on pile.	Ra ref.
		*					26/01
10840	- Jetty Cut Daybeacon 4	29 39 30 N 89 21 48 W				TR on pile.	Ra ref.
							* 29/01
	*Change Heading to Read: *Fucich Bayou Entrance Channel						
11965	- Daybeacon 2					TR on dolphin.	Private aid.
	*		*	*			40/01
11970	- Daybeacon 4					TR on dolphin.	Private aid.
	*		*	*			* 40/01
11975	- LIGHT 8		FI R 2.5s	15		TR on dolphin.	Private aid.
	*						* 40/01
11980	- ENTRANCE CHANNEL LIGHT 8A						Remove from list.
							* 40/01
11985	- ENTRANCE CHANNEL LIGHT 10						Remove from list.
							* 40/01
11990	- Daybeacon 6					TR on dolphin.	Private aid.
	*		*	*			* 40/01
11995	- ENTRANCE CHANNEL LIGHT 12						Remove from list.
							* 40/01
12000	- Daybeacon 7					TR on dolphin.	Private aid.
	*		*	*			* 40/01
12005	- Daybeacon 8					TR on dolphin.	Private aid.
	*		*	*			* 40/01
12010	- Daybeacon 10					TR on dolphin.	Private aid.
	*		*	*			* 40/01
12015	- Daybeacon 12					TR on dolphin.	Private aid.
	*		*	*			* 40/01
12020	- ENTRANCE CHANNEL LIGHT 18A						Remove from list.
							* 40/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12025	- ENTRANCE CHANNEL LIGHT 20						<i>Remove from list.</i>
							* 40/01
12030	- Daybeacon 14					TR on dolphin.	Private aid.
	*		*	*			* 40/01
12353.1	- LIGHT 2	29 33 54 N 89 14 12 W	Oc R 4s	17	4	TR on pile.	Ra ref.
							* 29/01
12353.2	- LIGHT 3	29 32 55 N 89 14 32 W	FI G 6s	17	4	SG on pile.	Ra ref.
		*					* 31/01
12360	- LIGHT 2 50 feet outside channel limit.	29 23 54 N 89 18 30 W	FI R 2.5s	17	4	TR on pile.	Ra ref.
							* 29/01
12365	- LIGHT 3 50 feet outside channel limit.		FI G 6s	17	4	SG on pile.	Ra ref.
							* 29/01
12465	- <i>Wingdam Lighted Buoy A</i>						<i>Remove from list.</i>
							* 28/01
12470	- <i>Wingdam Lighted Buoy B</i>						<i>Remove from list.</i>
							* 28/01
*12547	- <i>Lighted Buoy 3</i>	28 58 53 N 89 07 19 W	FI G 4s		4	Green.	35/01
12550	- Buoy 3A	28 59 12 N 89 07 59 W				Green.	35/01
	*	*					35/01
12855	CALCO W-1 PIER LIGHT						<i>Remove from list.</i>
							* 28/01
*13482.5	STOLT-NIELSON DOCK LIGHT LDB mile 79.6	29 52 17 N 89 56 44 W	FI R 2.5	10		On dock.	Private aid.
							34/01
13825	GUY MALLORY LIGHT 114 LDB mile 112.9.	29 58 19 N 90 14 42 W	Iso R 6s	17	7	TR on skeleton tower on piles.	26/01
				*		*	26/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14063	Laplace Anchor Lower Daybeacon 134.7	30 03 16 N 90 30 18 W				NY on pile.	Ra ref.
		*					35/01
15085	- Daybeacon 36					TR on pile.	Ra ref.
							* 29/01
15105	- Daybeacon 40					TR on pile.	Ra ref.
							* 29/01
15130	- Daybeacon 45					SG on pile.	Ra ref.
							* 29/01
15140	- Daybeacon 47					SG on pile.	Ra ref.
							* 29/01
15150	- Daybeacon 51					SG on pile.	Ra ref.
							* 29/01
17050	- Daybeacon 4	29 22 22 N 90 40 13 W				TR on pile.	Ra ref.
		*					31/01
	*Add Heading:						
	*South Louisiana Electric Co Op						
17699.01	- LIGHT A	29 21 02 N 90 57 27 W	Q W	15		On power pole.	Private aid.
		*					35/01
*17699.02	- LIGHT B		Q W	15		On power pole.	Private aid.
							34/01
*17699.03	- LIGHT C		Q W	15		On power pole.	Private aid.
							35/01
*17699.04	- LIGHT D	29 20 48 N 90 57 08 W	Q W	15		On power pole.	Private aid.
							35/01
*17699.05	- LIGHT E		Q W	15		On power pole.	Private aid.
							35/01
*17699.06	- LIGHT F		Q W	15		On power pole.	Private aid.
							35/01
*17699.07	- LIGHT G	29 21 50 N 90 57 45 W	Q W	15		On power pole.	Private aid.
							35/01
*17699.08	- LIGHT H		Q W	15		On power pole.	Private aid.
							35/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*17699.09	- LIGHT I		Q W	15		On power pole.	Private aid. 35/01
*17699.2	- LIGHT J	29 21 51 N 90 59 06 W	Q W	15		On power pole.	Private aid. 35/01
Four League Bay							
17715	- LIGHT A	29 18 18 N 91 07 12 W	FI W 4s	30	5	NB on skeleton tower on piles.	Ra ref. * 26/01
22055 33875	- RANGE O REAR LIGHT 953 yards, 070.3° from front light.		Iso R 6s	52		KRW on skeleton tower on mud sills.	Visible 2° each side of rangeline. * 26/01
*22057 33877	- RANGE O REAR PASSING LIGHT		FI R 4s	54	50	On same structure as Neches Canal Range O Rear Light.	26/01
22203	OLD RIVER OBSTRUCTION LIGHT 2	30 04 44 N 93 43 33 W	Q R	17	3	TR on pile.	 * 34/01
22305	- OUTER RANGE R FRONT LIGHT	29 58 42 N 93 51 42 W	Q W	25		KRW on dolphin.	Visible 2° each side of rangeline. * 26/01
*22307	- OUTER RANGE R FRONT PASSING LIGHT		FI R 2.5	26	3	On same structure as Neches River Outer Range R Front Light.	26/01
22660	- ENTRANCE CHANNEL RANGE B FRONT LIGHT	29 21 18 N 94 45 48 W	Q G	35		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. * 26/01
22665	- ENTRANCE CHANNEL RANGE B REAR LIGHT 1,296 yards, 282.2° from front light.		Iso G 6s	70		KRW on skeleton tower on piles.	 * 26/01
*22667	- ENTRANCE CHANNEL RANGE B REAR PASSING LIGHT		FI W 4s	17	5	On same structure as Galveston Bay Entrance Channel Range B Rear Light.	26/01
22850	- ENTRANCE INNER RANGE FRONT LIGHT	29 22 40 N 94 48 43 W	Q G	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline. * 26/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*22853	- Entrance Inner Range Front Passing Light		FI G 4s	12	4	On same structure as Galveston Channel Entrance Inner Range Front Light.	26/01
22855	- ENTRANCE INNER RANGE REAR LIGHT 2,510 yards, 318.3° from front light.		Iso G 6s	69		KRW on skeleton tower on piles.	Visible 2° each side of range line.
			*	*	*		* 26/01
*22857	- ENTRANCE INNER RANGE REAR PASSING LIGHT		FI 4s	12	6	On same structure as Galveston Channel Entrance Inner Range Rear Light.	26/01
22885	LOWER GALVESTON BAY OUTER RANGE REAR LIGHT 3,632 yards, 156.2° from front light.		Oc W 4s (Day) Oc G 4s (Night)	132 135		On skeleton tower on piles.	Visible 2° each side of range line.
			*	*	*		* 28/01
*22886	LOWER GALVESTON BAY OUTER RANGE REAR PASSING LIGHT		FI W 4s	40	5	On same structure as Lower Galveston Bay Outer Range Rear Light.	28/01
22895	- LIGHT 30 235 feet outside channel limit.	29 23 17 N 94 48 37 W	FI (2) R 6s	17	4	TR on pile.	Ra ref.
		*					31/01
22922	- LIGHT 34	29 24 29 N 94 49 14 W	FI R 4s	17	4	TR on pile.	
	*						27/01
22955	LOWER GALVESTON BAY INNER RANGE REAR LIGHT 1,564.3 yards, 336.3° from front light.		Iso W 6s (Day) Iso G 6s (Night)	116 119		On skeleton tower on piles.	Visible 2° each side of range line.
			*	*	*		* 26/01
*22957	LOWER GALVESTON BAY INNER RANGE REAR PASSING LIGHT		FI W 4s	40	5	On same structure as Lower Galveston Bay Inner Range Rear Light.	26/01
23215	MORGANS POINT APPROACH OUTER RANGE FRONT LIGHT	29 35 34 N 94 56 49 W	Q G	30		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*	*		* 26/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*23217	MORGANS POINT APPROACH OUTER RANGE FRONT PASSING LIGHT		FI W 4s	32	5	On same structure as Morgans Point Approach Outer Range Front Light.	26/01
23220	MORGANS POINT APPROACH OUTER RANGE REAR LIGHT 1,601 yards, 161.2° from front light.		Iso G 6s	65		KRW on skeleton tower on piles. Visible 2° each side of rangeline.	* 26/01
*23221	MORGANS POINT APPROACH OUTER RANGE REAR PASSING LIGHT		FI W 4s	14	4	On same structure as Morgans Point Approach Outer Range Rear Light.	26/01
Bayport Ship Channel							
23230	- OUTER RANGE FRONT LIGHT	29 36 48 N 94 57 06 W	Q G	25		KRW on skeleton tower on piles. Visible 2° each side of rangeline.	* 26/01
*23233	- OUTER RANGE FRONT PASSING LIGHT		FI W 4s	14	3	On same structure as Bayport Ship Channel Outer Range Front Light.	26/01
23235	- OUTER RANGE REAR LIGHT 1,400 yards, 88.9° from front light.		Iso G 6s	60		KRW on skeleton tower on piles. Visible 2° each side of rangeline.	* 26/01
*23237	- OUTER RANGE REAR PASSING LIGHT		FI W 4s	14	5	On same structure as Bayport Ship Channel Outer Range Rear Light.	26/01
23310	- LIGHT 81	29 37 54 N 94 57 49 W	FI G 2.5s	17	4	SG on pile.	* 28/01
Atkinson Island Cut							
23337	- Buoy 1	29 39 22 N 94 58 11 W				Green can.	* 34/01
23835	LOWER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29 41 57 N 94 59 47 W	Q R	30		KRW on skeleton tower on piles. For downbound traffic. Visible 2° each side of rangeline.	* 26/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*23837	LOWER RED LIGHT BEND OUTBOUND RANGE FRONT PASSING LIGHT		FI R 4s	32	4	On same structure as Lower Red Light Bend Outbound Range Front Light.	26/01
23840	LOWER RED LIGHT BEND OUTBOUND RANGE REAR LIGHT 140 yards, 100.5° from front light.		Iso R 6s	43		KRW on skeleton tower on piles.	Visible 2° each side of rangeline. * 26/01
24015	UPPER RED LIGHT BEND OUTBOUND RANGE FRONT LIGHT	29 42 18 N 95 01 12 W	Q G	25		KRW on skeleton tower on piles.	For upbound traffic. Visible 2° each side of rangeline. * 29/01
*24017	UPPER RED LIGHT BEND OUTBOUND RANGE FRONT PASSING LIGHT		FI G 4s	27	4	On same structure as Upper Red Light Bend Outbound Range Front Light.	29/01
24240	UPPER CROSSOVER INBOUND RANGE FRONT LIGHT	29 45 43 N 95 04 24 W	Q R	30		KRW on skeleton tower on piles.	Visible 2° each side of rangeline. * 42/01
24245	UPPER CROSSOVER INBOUND RANGE REAR LIGHT 140 yards, 322.2° from front light.		Iso R 6s	60		KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Visible 4° each side of rangeline. * 42/01
24715	- CUT A INNER RANGE FRONT LIGHT	29 22 18 N 94 50 12 W	Q G	25		KRW on skeleton tower on piles.	For upbound traffic. Visible 2° each side of rangeline. * 29/01
*24717	- CUT A INNER RANGE FRONT PASSING LIGHT		FI R 4s	17	4	On same structure as Texas City Channel Cut A Inner Range Front Light.	29/01
24755	- CUT B OUTER RANGE FRONT LIGHT	29 22 02 N 94 49 23 W	Q R	30		KRW on piles.	Visible 2° each side of rangeline. * 29/01
*24757	- CUT B OUTER RANGE FRONT PASSING LIGHT		FI R 4s	17	4	On same structure as Texas City Channel Cut B Outer Range Front Light.	29/01
24765	- CUT B INNER RANGE FRONT LIGHT	29 22 54 N 94 53 03 W	FI R 2.5s	25		KRW on skeleton tower on piles.	For upbound traffic. Visible 2° each side of rangeline. * 29/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*24767	- CUT B INNER RANGE FRONT PASSING LIGHT		FI R 2.5s	27	4	On same structure as Texas City Channel Cut B Inner Range Front Light.	29/01
25650	FREEPORT JETTY INBOUND RANGE FRONT LIGHT	28 56 38 N 95 18 19 W	Q W (Day) Q G (Night)	40 36		KRW on skeleton tower on piles.	Visible 2° each side of range line.
	*		*	*	*		* 34/01
*25653	FREEPORT JETTY INBOUND RANGE FRONT PASSING LIGHT		Q W	10	4	On same structure as Freeport Jetty Inbound Range Front Light.	34/01
25655	FREEPORT JETTY INBOUND RANGE REAR LIGHT 2,317 yards, 317.5° from front light.		Oc W 4s (Day) Oc G 4s (Night)	146 143		KRW on skeleton tower on concrete block.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
	*						34/01
25690	FREEPORT HARBOR OUTBOUND RANGE FRONT LIGHT	28 56 36 N 95 18 12 W	Q R	35		KRW on skeleton tower.	Visible 2° each side of rangeline.
	*						34/01
25695	FREEPORT HARBOR OUTBOUND RANGE REAR LIGHT 480 yards, 083.2° from front light.		F R	50		KRW on skeleton tower.	Visible 2° each side of rangeline.
	*						34/01
25950 1305	- Entrance Light	28 25 18 N 96 19 06 W	FI W 10s	57	14	On same structure as Matagorda Ship Channel Range B Rear Light.	Obscured from 257° to 040°.
							* 28/01
25965	- RANGE A FRONT LIGHT	28 26 30 N 96 20 36 W	Q W	26		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*	*		* 29/01
*25967	- RANGE A FRONT PASSING LIGHT		FI W 4s	28	5	On same structure as Matagorda Ship Channel Range A Front Light.	29/01
25970	- RANGE A REAR LIGHT 1,239 yards, 316.7° from front light.		Iso W 6s	76		On skeleton tower on piles.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
			*	*	*	*	* 29/01
*25972	- RANGE A REAR PASSING LIGHT		FI W 4s	14		On same structure as Matagorda Ship Channel Range A Rear Light.	29/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
26010	- RANGE B FRONT LIGHT	28 25 42 N 96 19 36 W	Q W	20		KRW on skeleton tower on concrete block.	Visible 2° each side of rangeline.
			*	*	*		* 30/01
*26013	- RANGE B FRONT PASSING LIGHT		FI R 4s	23	3	On same structure as Matagorda Ship Channel Range B Front Light.	30/01
26175	- RANGE C FRONT LIGHT	28 35 59 N 96 34 15 W	Q W	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
		*	*	*	*		* 31/01
26180	- RANGE C REAR LIGHT 2,000 yards, 308.5° from front light.		Oc W 4s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*	*		* 30/01
*26183	- RANGE C REAR PASSING LIGHT		FI W 4s	15	5	On same structure as Matagorda Ship Channel Range C Rear Light.	30/01
26215	LAVACA PIPELINE LIGHT A	28 33 12 N 96 30 19 W	FI Y 2.5s	15		On dolphin.	Private aid.
		*	*				30/01
26220	LAVACA PIPELINE LIGHT B	28 33 13 N 96 30 14 W	FI Y 2.5s	15		On dolphin.	Private aid.
		*	*				30/01
26340	- RANGE D FRONT LIGHT	28 35 42 N 96 34 00 W	Q G	25		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*	*		* 30/01
*26343	- RANGE D FRONT PASSING LIGHT		FI W 4s	27	5	On same structure as Matagorda Ship Channel Range D Front Light.	30/01
26345	- RANGE D REAR LIGHT 665 yards, 181°27' from front light.		Oc G 4s	45		KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*	*		* 30/01
*26347	- RANGE D REAR PASSING LIGHT		FI W 4s	18	5	On same structure as Matagorda Ship Channel Range D Rear Light.	30/01
Corpus Christi Channel							
27155	- CUT A EAST RANGE FRONT LIGHT	27 50 42 N 97 03 18 W	Q W	38		KRW on skeleton tower on piles.	For eastbound traffic. Visible all around; higher intensity on range line.
			*	*	*		* 30/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27515	- CUT B EAST RANGE FRONT LIGHT	27 48 39 N 97 13 41 W	FI W 2.5s (Day) FI W 2.5s (Night)	40 37		Platform on pile.	Visible 2° each side of rangeline.
			*	*	*		* 30/01
*27517	- CUT B EAST RANGE FRONT PASSING LIGHT		Q W	43	3	On same structure as Corpus Christi Channel Cut B East Range Front Light.	30/01
27520	- CUT B EAST RANGE REAR LIGHT 5,049 yards, 089.8° from front light.	27 48 39 N 97 10 52 W	Iso W 6s (Day) Iso W 6s (Night)	125 128		Skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*	*		* 30/01
*27523	- CUT B EAST RANGE REAR PASSING LIGHT		Q Y	36	4	On same structure as Corpus Christi Channel Cut B East Range Rear Light.	30/01
	*Add Heading: Rincon Industrial Park Channel *Rincon Canal						
27875	- Range Front Daybeacon	27 50 36 N 97 22 48 W		18		KWR on dolphin.	Private aid.
							26/01
27880	- Range Rear Daybeacon 600 yards, 320° from front daybeacon.			33		KWR on dolphin.	Private aid.
							26/01
27885	- Daybeacon 2						Remove from list.
							* 26/01
27890	- Daybeacon 4						Remove from list.
							* 26/01
27895	- Daybeacon 6						Remove from list.
							* 26/01
27900	- Daybeacon 8						Remove from list.
							* 26/01
*27902	- Daybeacon 2 75 feet outside channel limit.	27 48 57 N 97 21 16 W				TR on pile.	Ra ref.
							29/01
27905	- Daybeacon 10						Remove from list.
							* 26/01
*27907	- Daybeacon 4 75 feet outside channel limit.					TR on pile.	Ra ref.
							29/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27910	- Daybeacon 12						<i>Remove from list.</i>
							* 26/01
*27911	- LIGHT 6		F I R 4s	17	4	TR on pile.	Ra ref. 29/01
*27912	- Daybeacon 8 75 feet outside channel limits.					TR on pile.	Ra ref. 29/01
*27913	- Daybeacon 9					SG on pile.	Ra ref. 37/01
*27914	- Daybeacon 10					TR on pile.	Ra ref. 37/01
	*Add Heading: *University Beach						
*27926	- Danger Daybeacon A	27 42 52 N 97 19 11 W				NW on pile.	Private aid. 29/01
27927	- Danger Daybeacon B	27 42 54 N 97 19 10 W				NW on pile worded DANGER ROCK GROIN.	Private aid. 29/01
	*						29/01
27927.1	- Danger Daybeacon C					NW on pile worded DANGER BREAKWATER.	Private aid. 29/01
	*						29/01
*27927.15	- Daybeacon D					NW on pile.	Private aid. 29/01
27927.2	- Danger Daybeacon E					NW on pile worded DANGER BREAKWATER.	Private aid. 29/01
	*						29/01
*27927.25	- Danger Daybeacon F					NW on pile.	Private aid. 29/01
27927.4	- Danger Daybeacon G					NW on pile worded DANGER BREAKWATER.	Private aid. 29/01
	*						29/01
*27927.45	- Danger Daybeacon H					NW on pile.	Private aid. 29/01
27927.5	- Danger Daybeacon I					NW on pile worded DANGER ROCK GROIN.	Private aid. 29/01
	*						29/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
27927.6	- Danger Daybeacon J	27 42 59 N 97 19 22 W				NW on pile worded DANGER ROCK GROIN.	Private aid. * 29/01
*27927.65	- Danger Daybeacon K	27 42 56 N 97 19 24 W				NW on pile.	Private aid. 29/01
*Change Heading to Read: *Corpus Christi Bay							
27930	ALTA VISTA REEF LIGHT	27 45 55 N 97 21 11 W	FI W 2.5s	17	5	NR on pile.	Ra ref. 29/01
STOVER POINT TO BROWNSVILLE (Chart 11302)							
Brazos Santiago Pass							
28140 1385	- Entrance Lighted Whistle Buoy BS	26 03 54 N 97 06 36 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: B(-•••) * 34/01
28235	- RANGE FRONT LIGHT	26 04 05 N 97 09 49 W	Q G	36		KRW on skeleton tower on piles.	Visible 2° each side of rangeline. * 30/01
*28237	- RANGE FRONT PASSING LIGHT		Q R	36	4	On same structure as Laguna Madre Channel Range Front Light.	 30/01
28350 40740	- RANGE C FRONT LIGHT	26 02 12 N 97 12 42 W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line. * 30/01
28360 40750	- RANGE A FRONT LIGHT	26 01 51 N 97 13 32 W	Q W	33		KRW-I on skeleton tower.	Visible all around; higher intensity on range line. * 30/01
28380 40770	- RANGE E FRONT LIGHT	26 01 27 N 97 14 37 W	Q W	33		KRW-I on skeleton tower on piles.	For downbound traffic. Visible all around; higher intensity 2° each side of range line. * 30/01
28395 40785	- RANGE B FRONT LIGHT	26 00 48 N 97 15 42 W	Q R	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line. * 30/01
28420 40825	- RANGE D FRONT LIGHT	25 58 30 N 97 19 54 W	Q W	25		KRW-I on skeleton tower.	Visible all around; higher intensity on range line. * 30/01
28435 40815	- RANGE G FRONT LIGHT	25 58 48 N 97 19 00 W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line. * 30/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28460 40845	- RANGE F FRONT LIGHT	25 57 02 N 97 24 11 W	FI W 2.5s (Day) FI W 2.5s (Night)	44		KRW-I on skeleton tower.	Visible 2° each side of rangeline. * 29/01
28465 40855	- RANGE F REAR LIGHT 3,870 yards, 249° from front light.		Oc G 4s	95		KRW on skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours. * 30/01
28945	- Daybeacon 65					SG-SY on pile.	Ra ref. * 26/01
29005	- LIGHT 4	29 40 36 N 84 58 12 W	FIR 4s	17	3	TR-TY on pile.	Ra ref. * 26/01
29090 2820	- JUNCTION LIGHT TM	29 42 45 N 84 58 49 W	FI (2+1) G 6s	17	3	JG-SY on pile.	Ra ref. * 27/01
29230	- Daybeacon 3					SG-SY on pile.	Caution Manatee Ra ref. Ra ref. * 44/01
29250	- Daybeacon 7					SG-SY on pile.	Caution Manatee. Ra ref. * 44/01
29280	- LIGHT 13		Q G	17	3	SG-SY on dolphin.	Caution Manatee. Ra ref. * 44/01
*29727 3297	- Coast Guard Mooring Buoy	30 07 28 N 85 38 12 W					For use by USCG only. 26/01
29960	- LIGHT 26	30 16 36 N 85 50 18 W	Q R	17	3	TR-TY on pile.	Ra ref. * 34/01
30210	- LIGHT 40		FIR 4s	17	3	TR-TY on pile.	 * 26/01
30795	- Buoy 11	30 24 04 N 86 34 41 W				Green can with yellow square.	 * 40/01
31357	- Shoal Daybeacon 124					TR-TY on pile.	Ra ref. * 28/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
31570 4075	- NAVY RANGE FRONT LIGHT	30 20 04 N 87 18 59 W	FI G 2.5s	34		Skeleton tower on piles.	Lighted throughout 24 hours. Visible all around; higher intensity on range line.
			*	*	*		30/01
32375	- RANGE A FRONT LIGHT	30 17 38 N 88 07 17 W	Q R	17		KRW-I on pile.	Visible 2° each side of rangeline.
			*	*	*	*	* 30/01
*32377	- RANGE A FRONT PASSING LIGHT		Q W	18	5	On same structure as Pass Aux Herons Range A Front Light.	30/01
32600	- RANGE D FRONT LIGHT	30 16 08 N 88 10 39 W	Q W	15		KRW-I on dolphin.	Visible 2° each side of rangeline.
			*	*	*		* 31/01
*32603	- RNAGE D FRONT PASSING LIGHT		FI W 4s	17	5	On same structure as Pass Aux Herons Range D Front Light.	31/01
32605	- RANGE D REAR LIGHT 2,909 yards, 084.8° from front light.		Iso W 6s	65		KRW-I on piles.	Visible 2° each side of rangeline.
			*	*	*		* 31/01
*32607	- RANGE D REAR PASSING LIGHT		FI W 4s	67	5	On same structure as Pass Aux Herons Range D Rear Light.	31/01
32777	- LIGHT 3		FI G 6s	17	4	SG-SY on pile.	Ra ref.
							* 29/01
32850	- LIGHT 22		FI R 4s	17	3	TR-TY on pile.	Ra ref.
							* 29/01
32995	ST. JOSEPH ISLAND LIGHT 22	30 11 04 N 89 25 34 W	FI R 4s	17	5	TR-TY on pile on platform.	Higher intensity beam towards Pass Marianne Light 15P. Ra ref.
					*	*	31/01
33025	- RANGE FRONT LIGHT	30 08 24 N 89 36 40 W	Q W	20		KRW-I on dolphin.	Visible 2° each side of rangeline.
			*	*	*		* 31/01
*33027	- RANGE FRONT PASSING LIGHT		FI W 4s	19	5	On same structure as Lake Borgne Range Front Light.	31/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33030	- RANGE REAR LIGHT 3,037 yards, 261.1° from front light.		Iso W 6s	62		KRW-I on skeleton tower on platform on piles.	Visible 2° each side of rangeline.
			*	*	*		* 31/01
*33033	- RANGE REAR PASSING LIGHT		FI W 4s	20	3	On same structure as Lake Borgne Range Rear Light.	
							31/01
33115	MICHOUD CANAL LIGHT 2	30 00 49 N 89 54 19 W	FI R 2.5s	17	3	TR-TY on pile.	Ra ref.
							* 38/01
33673	Green Pines Island Buoy 4	29 51 03 N 92 21 45 W				Red nun with yellow triangle.	
		*					27/01
	*Add Heading: *Mc Faddin Wildlife Refuge						
*34082	- Danger Daybeacon A	29 44 40 N 94 04 43 W		13		NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
							38/01
*34082.1	- Danger Daybeacon B			13		NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
							38/01
*34082.2	- Danger Daybeacon C			13		NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
							38/01
*34082.3	- Danger Daybeacon D	29 44 00 N 94 05 40 W		13		NW on pile worded DANGER ROCK.	Marks rock groin. Private aid.
							38/01
	*Add Heading: *Sabine - Neches Canal						
34085	U.S. DEPT. OF ENERGY RAW WATER INTAKE LIGHTS (2)	29 40 54 N 94 11 42 W	FI R 2.5s	13		On fenders.	Private aids.
							38/01
34278	- LIGHT 24						<i>Remove from list.</i>
							* 37/01
*35001	- Buoy 65	29 15 25 N 94 59 51 W				Green can with yellow square.	
							33/01
*35002	- Buoy 67	29 14 46 N 95 00 29 W				Green can with yellow square.	
							33/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*35003	- Buoy 69	29 14 30 N 95 00 49 W				Green can with yellow square.	33/01
*35004	- Buoy 71	29 13 51 N 95 01 35 W				Green can with yellow square.	33/01
*35006	- Buoy 73	29 12 42 N 95 02 10 W				Green can with yellow square.	33/01
*35007	- Bouy 75	29 11 48 N 95 03 51 W				Green can with yellow square.	33/01
*35427	BRAZORIA WILDLIFE REFUGE WAVE BARRIER LIGHT	29 05 14 N 95 12 20 W	FI R 2.5s			On wave barrier.	Private aid. 28/01
35645	- RANGE H FRONT LIGHT	28 31 00 N 96 14 24 W	Q G	21		KRW-I on skeleton tower on piles.	For westbound traffic. Visible 2° each side of rangeline. * 31/01
*35647	- RANGE H FRONT PASSING LIGHT		FI W 4s	23	5	On same structure as Matagorda Bay Range H Front Light.	31/01
35650	- RANGE H REAR LIGHT 2,893 yards, 213.4° from front light.		Iso G 6s	67		KRW on skeleton tower on piles.	Visible 3° each side of rangeline. * 31/01
*35653	- RANGE H REAR PASSING LIGHT		FI W 4s	69	5	On same structure as Matagorda Bay Range H Rear Light.	31/01
35830	- LIGHT 46	28 40 51 N 96 14 03 W	FI R 4s	17	3	TR on pile.	Ra ref. * 34/01
35880	- RANGE K REAR LIGHT 2,780 yards, 234.8° from front light.		Iso G 6s	60		KRW on skeleton tower on piles.	Visible 2° each side of rangeline. * 31/01
*35883	- RANGE K REAR PASSING LIGHT		FI W 4s	13	5	On same structure as Matagorda Bay Range K Rear Light.	31/01
35885	- RANGE L FRONT LIGHT	28 28 24 N 96 18 36 W	Q W	25		KRW-I on skeleton tower on piles.	Visible 3° each side of rangeline. * 31/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*35887	- RANGE L FRONT PASSING LIGHT		FI W 4s	11	5	On same structure as Matagorda Bay Range L Front Light.	31/01
35890	- RANGE L REAR LIGHT 2,825 yards, 069.1° from front light.		Iso W 6s	60		KRW on skeleton tower on piles.	Visible 3° each side of rangeline.
			*	*	*		* 31/01
*35893	- RANGE L REAR LIGHT		FI W 4s	11	5	On same structure as Matagorda Bay Range L Rear Light.	31/01
*Add Heading: *-Limin Lakki:							
*37037	ROCKPORT SMALLBOAT HARBOR JETTY LIGHT 1	28 00 05 N 97 03 15 W	FI G 2.5s	13		SG on dolphin	Private aid 36/01
*37039	ROCKPORT SMALLBOAT HARBOR JETTY LIGHT 2	28 00 06 N 97 03 16 W	FI R 2.5	13		TR on dolphin.	Private aid. 36/01
*Delete Heading: *Rockport Smallboat Harbor Channel							
37040	- LIGHT 1						Remove from list. * 36/01
37045	- Daybeacon 3						Remove from list. * 36/01
37050	- Daybeacon 5						Remove from list. * 36/01
*Change Headings to Read: *Port O Connor - Corpus Christi *Aransas Bay							
37055	- Buoy 44					Red nun with yellow triangle.	36/01
40740 28350	- RANGE C FRONT LIGHT	26 02 12 N 97 12 42 W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line. * 30/01
40750 28360	- RANGE A FRONT LIGHT	26 01 51 N 97 13 32 W	Q W	33		KRW-I on skeleton tower.	Visible all around; higher intensity on range line. * 30/01
40770 28380	- RANGE E FRONT LIGHT	26 01 27 N 97 14 37 W	Q W	33		KRW-I on skeleton tower on piles.	For downbound traffic. Visible all around; higher intensity 2° each side of range line. * 30/01
			*	*	*		* 30/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

SUMMARY OF CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
40785 28395	- RANGE B FRONT LIGHT	26 00 54 N 97 15 42 W	Q R	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line. * 30/01
40815 28435	- RANGE G FRONT LIGHT	25 58 48 N 97 19 00 W	Q G	25		KRW-I on skeleton tower on piles.	Visible all around; higher intensity on range line. * 30/01
40825 28420	- RANGE D FRONT LIGHT	25 58 30 N 97 19 54 W	Q W	25		KRW-I on skeleton tower.	Visible all around; higher intensity on range line. * 30/01
			*	*	*		* 30/01
40845 28460	- RANGE F FRONT LIGHT	25 57 02 N 97 24 11 W	FI W 2.5s (Day) FI W 2.5s (Night)	44		KRW-I on skeleton tower.	Visible 2° each side of rangeline. * 29/01
40855 28465	- RANGE F REAR LIGHT 3,870 yards, 249° from front light.		Oc G 4s	95		KRW on skeleton tower.	Visible 2° each side of rangeline. Lighted throughout 24 hours. * 30/01

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2315	-Buoy 5			15	5	Green Can.	
	*		*				* 44/01
2320	-Daybeacon 6					TR on pile.	
	*						* 44/01
2325	-LIGHT 7	33 12 31 N 117 23 44 W	FI G 4s	28	4	SG on tower.	
	*	*	*	*	*	*	* 44/01
2330	- LIGHT 9						<i>Remove from list.</i> * 44/01
2970	Los Angeles River Daybeacon A						<i>Remove from list.</i> * 44/01
2975	Los Angeles River Daybeacon B						<i>Remove from list.</i> * 44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Heading and Note:							
*Santa Barbara Harbor							
<i>*Buoys inside the harbor are set to best mark the channel and are not charted.</i>							
3745	Santa Barbara Sewer Outfall Buoy						Remove from list. * 44/01
*Add Heading:							
*Santa Barbara Harbor							
3750	- BREAKWATER LIGHT	34 24 17 N 119 41 13 W	FI W 2.5s	35	9	NG on white column.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). 44/01
4365	CORINTHIAN HARBOR LIGHT 2						Remove from list. * 44/01
4686	NINTH AVENUE TURNING BASIN RANGE REAR LIGHT 257 yards, 096.4° from front light.						Remove from list. * 44/01
*Change Heading to Read:							
*San Francisco Entrance Bay Farm Island							
4826	- LIGHT 1	37 44 06 N 122 16 06 W	FI G 2.5s	14		SG on pile.	HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). 44/01
9605	- SOUTH JETTY LIGHT 4	44 36 34 N 124 04 46 W	FI R 2.5s	20	4	TR on skeleton tower.	Private aid. * 44/01
10220	- Channel Lighted Buoy 6 50 yards outside channel limit.	46 15 16 N 123 39 53 W	FI R 4s		4	Red.	* 44/01
10395	- Range Lighted Buoy 41	46 13 10 N 123 25 22 W	FI G 4s		4	Green.	* 44/01
11073	- Turn Lighted Buoy 1	45 50 50 N 122 46 57 W	FI G 4s		4	Green.	* 44/01
11395	Interstate-205 Bridge Approach Buoy 21	45 35 49 N 122 32 54 W				Green can.	* 44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Washougal							
11525	- Buoy 48	45 34 17 N 122 21 53 W				Red nun.	
		*					44/01
11595	Point Vancouver Buoy 65	45 32 45 N 122 16 06 W				Green can.	
		*					44/01
11850	- Buoy 18	45 41 51 N 121 50 43 W				Red nun.	
		*					44/01
Hood River							
11930	- Bridge Approach Buoy 35A	45 43 10 N 121 29 43 W				Green can.	
		*					44/01
11935	- Bridge Approach Buoy 37	45 43 06 N 121 29 34 W				Green can.	
		*					44/01
16270 19685	Discovery Island Light (C)	48 25 30 N 123 13 30 W	FI W 5s	93	16	White circular tower. 35	HORN: 1 blast ev 60s (6s bl).
						*	44/01
17810	<i>Bangor Explosive Anchorage Lighted Buoy A</i>	47 45 27 N 122 43 51 W	FI Y 6s		6	Yellow.	
		*					44/01
17835	<i>Bangor Explosive Anchorage Lighted Buoy B</i>	47 44 53 N 122 44 20 W	FI Y 6s		6	Yellow.	
		*					44/01
*17837	Bangor Explosive Anchorage Lighted Buoy C	47 44 15 N 122 44 50 W	FI Y 6s		5	Yellow	
							44/01
18685	- Daybeacon 5						<i>Remove from list.</i>
							* 44/01
18690	<i>Shoal Lighted Buoy 5</i>	48 16 05 N 122 38 38 W	FI G 4s		4	Green.	Marks shoal.
	*	*				*	44/01
Haro Strait							
19685 16270	Discovery Island Light (C)	48 25 30 N 123 13 30 W	FI W 5s	93	16	White circular tower. 35	HORN: 1 blast ev 60s (6s bl).
						*	44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
SAGINAW BAY (Chart 14863)							
Grindstone Channel							
<i>Entrance buoys maintained from Apr. 15 to Nov. 15.</i>							
10215	- Entrance Buoy 1					Green can.	Private aid. * 44/01
10225	- Entrance Buoy 3					Green can.	Private aid. * 44/01
10235	- Entrance Buoy 5					Green can.	Private aid. * 44/01
10245	- Entrance Buoy 7					Green can.	Private aid. * 44/01
10255	- Entrance Buoy 9					Green can.	Private aid. * 44/01
10265	- Entrance Buoy 11					Green can.	Private aid. * 44/01
18427	- Lake Lighted Buoy 3 Marks shoal.	44 21 37 N 86 14 37 W	FIG 4s			Green.	Maintained from Apr. 14 to Oct. 14. * 44/01

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.