

SECTION II

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2001 | | | | | | | |
|---|---|--------------------------|-----------------------|---------------|--------------|---|--|
| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
| 10795 | Deer Island Light On south end of spit. | 42 20 23 N 70 57 16 W | AI W R 10s | 53 | W R 11 | Red cylindrical tower; black cylindrical pier. | Obscured from 112° to 186° and from 198° to 222°. HORN: 1 blast ev 10s (1s bl). |
| | | | | | | | * 51/01 |
| CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001 | | | | | | | |
| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
| 805 30260 | <i>Carolina Beach Inlet Entrance Lighted Whistle Buoy CB</i> | | Mo (A) W | | 5 | Red and white stripes with spherical topmark. | |
| | | | | | | * | 51/01 |
| 860 30316 | <i>Cape Fear River Entrance Lighted Whistle Buoy CF</i> | 33 48 10 N 78 05 15 W | Mo (A) W | | 5 | Red and white stripes. | RACON: C(-•-•). |
| | | | | | * | | 51/01 |
| 5115 | - Channel Daybeacon 28 | | | | | TR on pile. | |
| | * | | | | | * | 51/01 |
| *5453 | Coards Marsh Submerged Aquatic Vegetation Sanctuary DBN A | 37 59 35 N 75 21 40 W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| | | | | | | | 51/01 |
| *5453.1 | Coards Marsh Submerged Aquatic Vegetation Sanctuary DBN B | | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| | | | | | | | 51/01 |
| *5453.2 | Coards Marsh Submerged Aquatic Vegetation Sanctuary DBN C | | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| | | | | | | | 51/01 |
| | *Add Heading: *Manatee River | | | | | | |
| *5457 | Greenbackville Submerged Aquatic Vegetation Sanctuary DBN A | 37 59 34 N 75 24 03 W | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| | | | | | | | 51/01 |
| *5457.1 | Greenbackville Submerged Aquatic Vegetation Sanctuary DBN B | | | | | White square board with orange border, red circle with SAV in center. | Private aid. |
| | | | | | | | 51/01 |
| | *Add Headings: *Chincoteague Bay *Greenbackville | | | | | | |
| 5460 | - EAST JETTY LIGHT 2 | | FI R 2.5s | 11 | 3 | TR on pile. | |
| | | | | | | | 51/01 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|--|--------------------------|-----------------------|---------------|--------------|--|-------------------|
| 7997 | -PASSING LIGHT | | Iso W 6s | 24 | 5 | On same structure as Craighill Channel Entrance Channel Range Front light. | |
| | | | | | | * | 51/01 |
| *10468 | Little Creek Entrance lighted buoy 1LC | 36 58 05 N 76 10 48 W | Q G | | 3 | Green. | 51/01 |
| | Little Creek Harbor | | | | | | |
| 10470 | Little Creek Entrance Lighted Buoy 2 | 36 56 29 N 76 10 48 W | FI R 2.5s | | 6 | Red. | |
| | * | * | | | | | 51/01 |
| 11901 | - Channel Wreck Lighted Buoy WR28A | | | | | | Remove from list. |
| | | | | | | | * 51/01 |

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--|---|--------------------------|-----------------------|---------------|--------------|--|----------------|
| TYBEE ISLAND TO DOBOY SOUND (Chart 11509) | | | | | | | |
| 345 4540 | Tybee Light (RANGE REAR) 3,883 yards, 298° from front light. | 32 01 18 N 80 50 48 W | F W | 144 | 19 | Octagonal, brick tower, upper and lower one third black, center white. | |
| | | | | | | * | 51/01 |
| *2370.1 | - Channel Lighted Buoy 1 | | FI G 2.5s | | 3 | Green. | 51/01 |
| *2370.2 | - Channel Lighted Buoy 2 | | FI R 2.5s | | 3 | Red. | 51/01 |
| *2370.3 | - Channel Lighted Buoy 3 | | FI G 4s | | 3 | Green. | 51/01 |
| *2370.4 | - Channel Lighted Buoy 4 | | FI R 4s | | 3 | Green. | 51/01 |
| *2370.6 | - Channel Lighted Buoy 6 | | Q R | | 3 | Red. | 51/01 |
| *2370.7 | - Channel Lighted Buoy 7 | | FI G 2.5s | | 3 | Green. | 51/01 |
| 2375 | - Channel Lighted Buoy 8 | | FI R 2.5s | | 3 | Red. | |
| | * | | * | | * | | 51/01 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added. Denotes a new entry when preceding the station number.

SECTION II

| CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001 | | | | | | | | |
|--|--|--------------------------|-----------------------|---------------|--------------|--|--|--|
| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks | |
| *2375.5 | - Channel Lighted Buoy 9 | | FI G 4s | | 3 | Green. | 51/01 | |
| 2380 | - Channel Lighted Buoy 10 | | FI R 4s | | 3 | Red. | 51/01 | |
| | * | | * | | * | | 51/01 | |
| *2395.5 | - Lighted Channel Buoy 11 | | FI G 6s | | 3 | Green. | 51/01 | |
| 4540 345 | Tybee Light (RANGE REAR) 3,883 yards, 298° from front light. | | F W | 144 | | Octagonal, brick tower, upper and lower one third black, middle white. | 51/01 | |
| | | | | | | * | 51/01 | |
| | *Delete Heading: *Boot Key North Channel | | | | | | | |
| 13815.1 | - Daybeacon 1A | | | | | | <i>Remove from list.</i> * 51/01 | |
| | Boot Key North Channel | | | | | | | |
| 13815.2 | - Daybeacon 2B | 24 42 22 N 81 05 25 W | | | TR on pile. | | Private aid. 51/01 | |
| | | * | | | | | 51/01 | |
| | *Add Heading: *Boot Key East Channel | | | | | | | |
| *13815.7 | - Daybeacon 1A | 24 42 18 N 81 05 24 W | | | SG on pile. | | Private aid. 51/01 | |
| | *Delete Heading: *Boot Key East Channel | | | | | | | |
| *13816 | - Daybeacon 3A | 24 42 24 N 81 05 18 W | | | SG on pile. | | Private aid. 51/01 | |
| *15270.3 | - Daybeacon 5 | | | | SG on pile. | | Private aid. 51/01 | |
| *15295.3 | - Daybeacon 13 | | | | SG on pile. | | Private aid. 51/01 | |
| 15300 | - Daybeacon 13A | | | | SG on pile. | | Private aid. 51/01 | |
| | * | | | | | | 51/01 | |
| *15305.4 | - Daybeacon 14A | | | | TR on pile. | | Private aid. 51/01 | |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|-------------------------------|-------------------------------------|--------------------------|-----------------------|---------------|--------------|------------------|-------------------|
| Sim-Par Marina Channel | | | | | | | |
| 39700 | - Buoy 1 | 29 30 26 N 81 08 46 W | | | | Green can. | Private aid. |
| | | * | | | | | 51/01 |
| *54793.85 | - Daybeacon 24 | | | | | TR on pile. | Private aid. |
| | | | | | | | 51/01 |
| 55300 | ST. JAMES CITY POWER TOWER LIGHT | | | | | | Remove from list. |
| | | | | | | | * 51/01 |

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|--------------|---|--------------------------|-----------------------|---------------|--------------|--|-------------------|
| 5443 6548 | ARLINGTON CHANNEL LEADING LIGHT | | | | | | Remove from list. |
| | | | | | | | * 51/01 |
| 6548 5443 | - OUTBOUND RANGE FRONT RANGE LIGHT | | | | | | Remove from list. |
| | | | | | | | * 51/01 |
| 6655 | - WRECK LIGHT WR | 30 16 14 N 88 19 17 W | Q R | 17 | 4 | NW on pile worded DANGER WRECK. | Ra ref. |
| | | * | | | | | 51/01 |
| *7372 | - CHANNEL RANGE D REAR PASSING LIGHT | | FI W 4s | 14 | 4 | On same structure as Bayou Casotte Channel D Rear Light. | |
| | | | | | | | 51/01 |
| 24410 | - LIGHT 128 170 feet outside channel limit. | | FI R 2.5s | 17 | 4 | TR on pile. | Ra ref. |
| | * | | | | | | 51/01 |
| 24515 | - LIGHT 161 | | | | | | Remove from list. |
| | | | | | | | * 51/01 |
| 24520 | - LIGHT 163 | | | | | | Remove from list. |
| | | | | | | | * 51/01 |

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|--------------------------|---------------------------|-----------------------|---------------|--------------|------------------|---|
| 2590 | - EAST END LIGHT | 33 13 48 N 119 26 06 W | FI W 2.5s | 55 | 6 | On post. | Visible from 145° to 005°, partially obscured by hills elsewhere. |
| | | | | | | * | 51/01 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|---|---------------------------|-----------------------|---------------|--------------|------------------|--------------------------|
| 4152 | PILLAR POINT INNER HARBOR CENTER LIGHT A | | | | | | <i>Remove from list.</i> |
| | | | | | | | * 51/01 |
| 6565 | HARRIS YACHT HARBOR LIGHT 1 | | | | | | <i>Remove from list.</i> |
| | | | | | | | * 51/01 |
| 8975 | DOUGLAS FIR DOCK LIGHT A | 43 25 29 N 124 15 37 W | F R | 19 | | On dolphin. | Private aid. |
| | * | * | | | | * | * 51/01 |
| *8976 | DOUGLAS FIR DOCK LIGHT B | 43 25 28 N 124 15 35 W | F R | 19 | | On pier. | Private aid. |
| | | | | | | | 51/01 |
| *8977 | DOUGLAS FIR DOCK LIGHT C | 43 25 29 N 124 15 28 W | F R | 19 | | On pier. | Private aid. |
| | | | | | | | 51/01 |
| *8978 | DOUGLAS FIR DOCK LIGHT D | 43 25 30 N 124 15 26 W | F R | 19 | | On pier. | Private aid. |
| | | | | | | | 51/01 |

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|---|--|--------------------------|-----------------------|---------------|--------------|------------------|--------------------------|
| 10213 | <i>Grindstone City Approach Lighted Buoy "2GC"</i> | | | | | | <i>Remove from list.</i> |
| | | | | | | | * 51/01 |
| SAGINAW BAY (Chart 14863) | | | | | | | |
| Grindstone Channel | | | | | | | |
| <i>Entrance buoys maintained from Apr. 15 to Nov. 15.</i> | | | | | | | |
| 10215 | - Entrance Buoy 1 | 44 03 32 N 82 53 24 W | | | | Green can. | Private aid. |
| | | * | | | | | 51/01 |
| 10220 | - Entrance Buoy 2 | 44 03 32 N 82 53 25 W | | | | Red nun. | Private aid. |
| | | * | | | | | 51/01 |
| *10271 | - Entrance Buoy 13 | | | | | Green can. | Private aid. |
| | | | | | | | 51/01 |
| *10272 | - Entrance Buoy 14 | | | | | Red nun. | Private aid. |
| | | | | | | | 51/01 |
| *10273 | - Entrance Buoy 15 | | | | | Green can. | Private aid. |
| | | | | | | | 51/01 |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2001

| (1) No. | (2) Name and Location | (3) Position | (4) Characteristic | (5) Height | (6) Range | (7) Structure | (8) Remarks |
|------------|--------------------------|--------------------------|-----------------------|---------------|--------------|------------------|--|
| *10274 | - Entrance Buoy 16 | | | | | Red nun. | Private aid. 51/01 |
| 21185 | - Lighted Buoy 26 | 44 51 36 N 87 24 09 W | F I R 4s | | 4 Red. | | Replaced by nun from Nov. 21 to Apr. 21. 51/01 |
| | | * | | | | | |

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.