

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Logan Airport Security Zone							
*10909	<i>Logan Airport Security Zone Lighted Buoy 24</i>	42 20 42 N 71 00 30 W	FI Y 4s		2	White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*Add Heading: *Boston Main Channel							
10910	<i>- Lighted Buoy 10</i>		FI R 6s		4	Red.	Replaced by nun when endangered by ice. 33/03
*Add Heading: *Logan Airport Security Zone							
*10912	Logan Airport Security Zone Buoy 25	42 20 47 N 71 00 38 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*10919	Logan Airport Security Zone Buoy 26	42 20 59 N 71 00 59 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*Add Heading: *Boston Main Channel							
10920	<i>- Lighted Buoy 12</i>	42 21 00 N 71 01 06 W	FI R 2.5s		4	Red.	Replaced by nun when endangered by ice. 33/03
*Add Heading: *Logan Airport Security Zone							
*10921	Logan Airport Security Zone Buoy 27	42 21 05 N 71 01 11 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*10922	Logan Airport Security Zone Buoy 28	42 21 11 N 71 01 22 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
10923	Logan Airport Security Zone Buoy 29	42 21 18 N 71 01 33 W	FI Y 4s		2	White and orange.	Marked RESTRICTED AREA. Private aid. * * * * * 33/03
*Change Heading to Read: *Boston Main Channel							
10925	<i>- Lighted Buoy 13</i>	42 21 12 N 71 02 06 W	FI G 4s		4	Green.	Replaced by can when endangered by ice. 33/03
*Add Heading: *Logan Airport Security Zone							
*11033	Logan Airport Security Zone Buoy 16	42 21 38 N 70 59 07 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11034	Logan Airport Security Zone Buoy 15	42 21 45 N 70 59 14 W				White and orange.	Marked RESTRICTED AREA. Private aid.
							33/03
	*Add Heading: *Logan Airport Security Zone						
*11056	Logan Airport Security Zone Buoy 17	42 22 26 N 70 59 02 W	Fl Y 4s		2	White and orange.	Marked RESTRICTED AREA. Private aid.
							33/03
	*Add Heading: *Winthrop Harbor Approach						
11060	- Buoy 7					Green can.	
							33/03
	*Add Heading: *Logan Airport Security Zone						
*11094	Logan Airport Security Zone Buoy 14	42 21 51 N 70 59 28 W				White and orange.	Marked RESTRICTED AREA. Private aid.
							33/03
	*Add Heading: *Chelsea Point Channel						
11095	- Buoy 4					Red nun.	
							33/03
	*Add Heading: *Logan Airport Security Zone						
*11099	Logan Airport Security Zone Buoy 13	42 21 57 N 70 59 41 W				White and orange.	Marked RESTRICTED AREA. Private aid.
							33/03
	*Add Heading: *Chelsea Point Channel						
11100	- Buoy 5					Green can.	
							33/03
	*Add Heading: *Logan Airport Security Zone						
*11106	Logan Airport Security Zone Buoy 12	42 22 05 N 70 59 52 W				White and orange.	Marked RESTRICTED AREA. Private aid.
							33/03
*11109	Logan Airport Security Zone Buoy 11	42 22 11 N 70 59 57 W				White and orange.	Marked RESTRICTED AREA. Private aid.
							33/03
	*Add Heading: *Chelsea Point Channel						
11110	- Buoy 7					Green can.	
							33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Logan Airport Security Zone							
*11116	Logan Airport Security Zone Buoy 10	42 22 19 N 70 59 58 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11119	Logan Airport Security Zone Buoy 9	42 22 29 N 70 59 53 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*Add Heading: *Chelsea Point Channel							
11120	- Buoy 9					Green can.	 33/03
*Add Heading: *Logan Airport Security Zone							
*11125.1	Logan Airport Security Zone Lighted Buoy 8	42 22 39 N 70 59 48 W	FI Y 4s		2	White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11126	Logan Airport Security Zone Buoy 1	42 22 43 N 71 00 43 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11126.1	Logan Airport Security Zone Buoy 2	42 22 27 N 71 00 39 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11127	Logan Airport Security Zone Buoy 3	42 22 34 N 71 00 35 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11127.1	Logan Airport Security Zone Buoy 4	42 22 42 N 71 00 31 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11128.1	Logan Airport Security Zone Buoy 6	42 22 49 N 71 00 15 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11129	Logan Airport Security Zone Buoy 7	42 22 43 N 71 00 02 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*Add Heading: *Logan Airport Security Zone							
*11146	Logan Airport Security Zone Buoy 18	42 21 19 N 70 59 11 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11147	Logan Airport Security Zone Buoy 20	42 21 01 N 70 59 44 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*11148	Logan Airport Security Zone Buoy 21	42 20 58 N 70 59 55 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11149	Logan Airport Security Zone Buoy 22	42 20 52 N 71 00 04 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03
*11149.1	Logan Airport Security Zone Buoy 23	42 20 45 N 71 00 18 W				White and orange.	Marked RESTRICTED AREA. Private aid. 33/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Change Note to Read:							
Rehoboth Bay							
<i>*Buoys maintained from May 1 to Nov. 15. Position of buoys frequently shifted with changing conditions.</i>							
2095	- Channel Buoy 1					Green can.	33/03
2117	- Buoy 10					Red nun.	33/03
	*					*	33/03
*Add Note:							
Rehoboth Bay							
<i>*Buoys maintained from May 1 to Nov. 15. Position of buoys frequently shifted with changing conditions.</i>							
2120	- Channel Buoy 11					Green can.	33/03
2130	- LIGHT 13		FI G 4s	15	4	SG on pile.	33/03
	*	*	*	*	*		33/03
2135	- Buoy 15					Green can.	33/03
	*					*	33/03
2137	- Channel Buoy 15A						<i>Remove from list.</i> * 33/03
2145	- Daybeacon 17B					SG on pile.	33/03
	*	*				*	33/03
2150	- Daybeacon 20						<i>Remove from list.</i> * 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2156	- Buoy 21A					Green can.	
	*					*	33/03
*2171	- Buoy 26					Red nun.	33/03
8015	- Lighted Buoy 3		FI G 4s		4	Green.	Replaced by LIB of lower intensity from Dec. 1 to Mar. 15.
	*						33/03
*11357	- Daybeacon 3					SG on pile.	Private aid.
							33/03
12875	- Daybeacon 7	37 03 48 N 76 16 54 W				SG on pile.	Private aid.
	*		*	*			33/03
Wicomico River							
17250	- Junction Buoy WR	38 14 01 N 76 49 13 W				Red and green bands; nun.	
		*					33/03
19570	- LIGHT 4		FI R 2.5s	15	4	TR on multi-pile structure.	
						*	33/03
19625	- LIGHT 11		FI G 2.5s	15	4	SG on pile.	
						*	33/03
20220	Cool Spring Cove Daybeacon 1					SG on pile.	Private aid.
	*						33/03
20225	Cool Spring Cove Daybeacon 2					TR on pile.	Private aid.
	*						33/03
29690	- Buoy 7						Remove from list.
							* 33/03
29695	- Buoy 7A						Remove from list.
							* 33/03
29845.1	Stones Bay Warning Daybeacon A						Remove from list.
							* 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Far Creek Channel							
32105	- LIGHT 1FC 20 feet outside channel limit.	35 30 27 N 75 56 58 W	FI G 2.5s	15	4	SG on multi-pile structure.	
		*					33/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*1007.8	<i>Looe Key Telemetering Lighted Buoy LR</i>	24 32 34 N 81 24 08 W	FI (4) Y 20s			Yellow can.	Private aid.
							33/03
1235	Capri Pass Approach Light	25 58 35 N 81 44 05 W	FI W 10s	90	17	Building.	Light obscured from 280° to 030°.
		*					33/03
1875	- RANGE A FRONT LIGHT	33 11 34 N 79 10 05 W	FI W 2.5s (Day) FI W 2.5s (Night)	15 13			Visible 10° each side of range line (Day). Visible 10° each side of range line (Night).
			*	*		*	* 33/03
1875.5	- RANGE A FRONT PASSING LIGHT	33 11 34 N 79 10 05 W	FI W 2.5s	17	5	On same structure as Winyah Bay Range A Front Light.	
			*	*			33/03
1880	- RANGE A REAR LIGHT 849 yards, 270° from front light.		Iso W 6s (Night) Iso W 6s (Day)	43 40			Visible 10° each side of range line (Day). Visible 10° each side of range line (Night).
			*			*	* 33/03
*7079	Old Town Reach Obstruction Daybeacon 1	30 41 08 N 81 27 31 W				NW on pile worded DANGER SUBMERGED PIPELINE.	Private aid.
							33/03
*12504	Knights Key Bank Shoal Daybeacon	24 42 29 N 81 07 48 W				NW on pile worded DANGER SHOAL.	Private aid.
							33/03
*Add Heading: *Florida Bay							
*12508	Pigeon Key Shoal Daybeacon NE	24 42 47 N 81 09 46 W				NW on pile worded DANGER SHOAL.	Private aid.
							33/03
*12509	Pigeon Key Shoal Daybeacon NW	24 42 25 N 81 09 46 W				NW on pile worded DANGER SHOAL.	Private aid.
							33/03
*12511	Red Bay Shoal Daybeacon A	24 44 25 N 81 09 29 W				NW on pile worded DANGER SHOAL.	Private aid.
							33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*12512	Red Bay Shoal Daybeacon B	24 44 57 N 81 08 14 W				NW on pile worded DANGER SHOAL.	Private aid. 33/03
*12513	Red Bay Shoal Daybeacon C	24 44 19 N 81 07 44 W				NW on pile worded DANGER SHOAL.	Private aid. 33/03
*12514	Red Bay Shoal Daybeacon D	24 45 26 N 81 09 03 W				NW on pile worded DANGER SHOAL.	Private aid. 33/03
*12750.1	- Daybeacon 14					TR on pile.	Private aid. 33/03
	*Add Heading: *Rattlesnake Channel						
*23812	- Daybeacon 1					TR on pile.	Private aid. 33/03
*23813	- LIGHT 2	27 53 24 N 82 32 10 W	FI R 4s	10		TR on dolphin.	Private aid. 33/03
*23814	- Daybeacon A					JG on pile.	Private aid. 33/03
	*Add Headings: *Tampa Bay *Weedon Island Channel						
23815	- Lighted Buoy 3		FI G 4s			Green.	Private aid. 33/03
30687	- Canal West Obstruction Buoy	29 49 08 N 83 35 36 W				Orange and white bands with orange diamond; can.	Private aid. 33/03
		*					33/03
*31927	Ponce Yacht and Fishing Club Special Purpose Buoy A	17 55 20 N 66 33 53 W				Yellow can.	Private aid. 33/03
*37959	Old Town Reach Obstruction Daybeacon 1	30 41 08 N 81 27 31 W				NW on pile worded DANGER SUBMERGED PIPELINE.	Private aid. 33/03
*50535.3	- Daybeacon 5					SG on pile.	Private aid. 33/03
*50535.4	- Daybeacon 6					TR on pile.	Private aid. 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1113.5	<i>Rigelake-102-1 Lighted Buoy</i> Marks subsea installation.						<i>Remove from list.</i>
							* 33/03
APALACHICOLA BAY TO LAKE WIMICO (Chart 11402)							
West Pass							
2850	- LIGHT	29 37 57 N 85 05 50 W	FI W 2.5s	17	5	NB on dolphin.	
							* 33/03
3910	- ENTRANCE LIGHT 16	30 24 27 N 86 31 09 W	FI R 2.5s	17	4	TR on pile.	Ra ref.
							* 33/03
*8207	- Daybeacon 33					SG on pile.	Ra ref.
							* 33/03
Amite River							
10455	- LIGHT 1	30 17 50 N 90 33 29 W	FI G 4s	25	4	SG on skeleton tower.	
							* 33/03
MISSISSIPPI RIVER DELTA (Chart 11361)							
Baptiste Collette Bayou							
12450	- Daybeacon 21					SG on pile.	Ra ref.
							* 33/03
13413	Cedar Grove Anchorage Lower Daybeacon 69.9	29 46 42 N 90 01 32 W				NY on pile.	Ra ref.
							* 33/03
13630 33185	Governor Nicholls Harbor Traffic Control Light 94 LDB mile 94.3.	29 57 38 N 90 03 23 W	FI G 5s or FI R 5s		16	On skeleton tower.	Operated by Coast Guard Marine Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
							* 33/03
13715	Westwego Traffic Light RDB mile 101.4.	29 54 52 N 90 08 23 W	Q G or Q R		10	On skeleton tower.	Operated by Coast Guard Marine Safety Office New Orleans. Indicates to down bound traffic whether Gretna Harbor Traffic Control Light is red or green.
							* 33/03
New Orleans to Baton Rouge							
13815	WAGGAMAN LIGHT 109 RDB Mile 109.1.	29 55 18 N 90 12 47 W	Iso G 6s		8	SG on skeleton tower.	
							* 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14363	Sunshine Anchorage Upper Daybeacon 167.0	30 05 42 N 90 54 28 W				NY on pile.	Ra ref.
		*					33/03
20630	- EAST JETTY LIGHT 42	29 44 42 N 93 20 23 W	Q R	30	4	TR on square tower on piles.	
		*					33/03
22605	- ENTRANCE CHANNEL RANGE A FRONT LIGHT	29 21 18 N 94 42 57 W	FI W 2.5s	20		On skeleton tower.	For upbound traffic. Lighted throughout 24 hours.
		*					33/03
22630	- Entrance Channel Lighted Gong Buoy 5 100 feet outside channel limit.		FI G 2.5s		4	TR on skeleton tower on block.	
						*	33/03
25850	- Daybeacon 15	28 40 43 N 95 58 27 W				SG on pile.	Ra ref.
		*					33/03
33185 13630	Governor Nicholls Harbor Traffic Control Light 94 LDB mile 94.3.	29 57 38 N 90 03 23 W	FI G 5s or FI R 5s		16	On skeleton tower.	Operated By Coast Guard Marine Safety Office New Orleans during periods of high water. Controls one way traffic around Algiers Point.
		*					33/03
36230	- LIGHT 22		FI R 4s	17	3	TR on pile.	Ra ref.
						*	33/03
36545	- LIGHT 25 90 feet outside channel limit.		FI G 4s	17	4	SG-SY on pile.	Ra ref.
						*	33/03
36865	COPANO BAY APPROACH LIGHT 1	28 03 36 N 97 00 49 W	FI G 2.5s	17	3	SG on pile.	Ra ref.
		*					33/03
36875	COPANO BAY APPROACH LIGHT 3	28 06 27 N 97 00 40 W	FI G 4s	17	4	SG on dolphin.	
		*					33/03
Land Cut							
39215	- LIGHT 1		FI G 4s	17	4	SG-SY on pile.	Ra ref.
						*	33/03
39310	- LIGHT 20	26 50 12 N 97 28 05 W	FI R 6s	17	4	TR-TY on pile.	Ra ref.
		*			*		33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
39315	- LIGHT 21	26 49 27 N 97 28 07 W	FI G 4s	17	4	SG-SY on pile.	
					*		33/03
39845	- LIGHT 180		FI R 4s	17	3	TR-TY on pile.	Ra ref.
					*		33/03
40170	- LIGHT 17	26 19 40 N 97 18 35 W	FI G 4s	17	4	SG-SY on pile.	
		*			*		33/03
40190	- LIGHT 25	26 18 46 N 97 18 10 W	FI G 4s	17	4	SG-I on pile.	
		*			*		33/03
40395	- LIGHT 107		FI G 4s	17	4	SG-SY on dolphin.	Ra ref.
					*		33/03
40455	- LIGHT 131		FI G 4s	17	4	SG-SY on pile.	Ra ref.
					*		33/03
	*Add Heading: *Queen Isabella Causeway						
*40552	QUEEN ISABELLA CAUSEWAY SOUTHEAST DANGER LIGHT A	26 04 59 N 97 11 47 W	FI W 2.5s	12		On pile cluster.	Private aid.
							33/03
*40552.01	QUEEN ISABELLA CAUSEWAY SOUTHEAST DANGER LIGHT B		FI W 2.5s	12		On pile cluster.	Private aid.
							33/03
*40552.02	QUEEN ISABELLA CAUSEWAY SOUTHEAST DANGER LIGHT C		FI W 2.5s	12		On pile cluster.	Private aid.
							33/03
*40552.03	QUEEN ISABELLA CAUSEWAY SOUTHEAST DANGER LIGHT D	26 04 57 N 97 11 50 W	FI W 2.5s	12		On fender system.	Private aid.
							33/03
*40552.1	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT A	26 04 54 N 97 11 57 W	FI W 2.5s	12		On pile cluster.	Private aid.
							33/03
*40552.11	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT B		FI W 2.5s	12		On pile cluster.	Private aid.
							33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*40552.12	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT C		FI W 2.5s	9		On fender system.	Private aid. 33/03
*40552.13	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT D	26 04 55 N 97 11 58 W	FI W 2.5s	9		On fender system.	Private aid. 33/03
*40552.14	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT E		FI W 2.5s	12		On pile cluster.	Private aid. 33/03
*40552.15	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT F	26 04 55 N 97 12 00 W	FI W 2.5s	9		On fender system.	Private aid. 33/03
*40552.16	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT G		FI W 2.5s	12		On pile cluster.	Private aid. 33/03
*40552.17	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT H		FI W 2.5s	9		On fender system.	Private aid. 33/03
*40552.18	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT I		FI W 2.5s	9		On fender system.	Private aid. 33/03
*40552.19	QUEEN ISABELLA CAUSEWAY SOUTHWEST DANGER LIGHT J	26 04 54 N 97 12 02 W	FI W 2.5s	9		On fender system.	Private aid. 33/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6433	POINT EDITH CROSSING RANGE FRONT LIGHT	38 03 55 N 122 03 32 W	Q W	18		KRW on pile.	Visible all around; higher intensity on rangeline. 33/03
		*					
6570	- LIGHT 26	38 03 03 N 121 57 00 W	FI R 4s	16	4	TR on pile structure.	 33/03
		*					
6580	- LIGHT 28	38 02 33 N 121 55 07 W	FI R 2.5s	20	4	TR on pile structure.	Higher intensity beam up and down channel. 33/03
		*					

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
6625	- LIGHT 5	38 01 57 N 121 52 04 W	FI G 2.5s	20	4	SG on pile.	
		*					33/03
17172	BLAIR WATERWAY RANGE FRONT LIGHT	47 15 12 N 122 22 24 W	Q R	111		KRB on single steel pile.	Private aid.
		*		*			33/03
17173	BLAIR WATERWAY RANGE REAR LIGHT 300 yards, 134° true from front light.	47 15 05 N 122 22 12 W	Iso R 6s	151		KRB on single steel pile.	Private aid.
		*		*			33/03
21840	TREE POINT LIGHT	54 48 10 N 130 56 02 W	FI W 6s	86	9	White square tower on building.	Obscured from 158° to 318°.
		*					33/03
Portland Canal							
21875	REEF ISLAND LIGHT	55 04 44 N 130 12 11 W	FI W 4s	19	6	NR on spindle.	Higher intensity beam up Portland Canal, higher intensity beam down Pearse Canal. Obscured from 020.5° to 197.5°.
		*					33/03
21925	FOGGY POINT LIGHT	54 55 26 N 130 58 39 W	FI W 4s	17	6	NR on skeleton tower.	
		*					33/03
21940	MARY ISLAND LIGHT	55 05 57 N 131 10 57 W	FI W 6s	76	6	On white square tower on white building.	Obscured from 341° to 150°.
		*					33/03
22142	Tongass Narrows East Channel Regulatory Buoy	55 19 22 N 131 36 41 W				White with orange bands labeled "7 KTS".	
	*						33/03
22156	Tongass Narrows West Channel Regulatory Buoy	55 19 31 N 131 39 13 W				White with orange bands labeled "7 KTS".	
	*						33/03
*22466	<i>COFFMAN COVE LIGHTED BUOY 4</i>	56 00 51 N 132 50 06 W	FI R 2.5s		3	Red.	
							33/03
*22467	<i>COFFMAN COVE LIGHTED BUOY 3</i>	56 01 05 N 132 50 08 W	FI G 6s		3	Green.	
							33/03
*22468	COFFAMN COVE LIGHT 2	56 01 14 N 132 50 18 W	FI R 4s	32	3	TR on tower.	
							33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*22469	COFFMAN COVE ENTRANCE LIGHT	56 01 23 N 132 49 38 W	FI W 2.5s	40	5	NR on tower.	33/03
29175	- Entrance Lighted Buoy H	21 16 50 N 157 52 47 W	Mo (A) W		6	Red and white stripes with red spherical topmark.	RACON: O(---). * 33/03

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	*Add Heading: *ISLE ROYAL (Chart 14967)						
16705	Harlem Reef Buoy 2					Red nun.	Maintained from May 28 to Oct. 14. 33/03
	*Add Heading: *ISLE ROYALE (Chart 14976)						
16710	Isle Royale Light	47 56 54 N 88 45 42 W	FI W 6s	72	10	White octagonal tower with dwelling attached. 61	33/03
*19956	NORTHERLY ISLAND DANGER LIGHTED BUOY A	41 51 52 N 87 36 21 W	FI W 2.5s			White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct. 31. Private aid. 33/03
*19956.1	NORTHERLY ISLAND DANGER LIGHTED BUOY B	41 51 49 N 87 36 21 W	FI W 2s			White and orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct. 31. Private aid. 33/03
*19956.2	NORTHERLY ISLAND DANGER LIGHTED BUOY C	41 51 45 N 87 36 21 W	FI W 2s			White with orange bands and diamond worded DANGER SUBMERGED BULKHEAD.	Maintained from Apr. 15 to Oct. 31. Private aid. 33/03

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.